

Name of Work:Package No.05 (Consists of 3 Works)

MEASUREMENT SHEETS

"FIRST AND PART BILL"

Name of Work:Package No.05 (Consists of 3 Works)									
Detailed Measurements									
Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
1	Removing & Resetting of cover Slabs of drains and pointing in CM 1:2.								
	Vide Premeasurement page no. 01					353.25			
						Present Qty 353.25	Sqm	127.03	44873.35
2	Earth work excavation by manual means for drains,canals, waste weir, draft, approach channels, key trenches, foundation of bridges and such simillar works in all kinds of soils , as per drawing and technical specifications, including setting out, shoring, strutting,								
	Vide Premeasurement page no. 02 - 23					4644.55			
						Present Qty 4644.55	Cum	214.79	997602.79
10	Earth work in surface excavation for stripping, seating of bund, Road way by manual means for lowering & levelling the ground for all works other than foundation & depth in								
	Vide Premeasurement page no. 24-62					6540.44			
						Present Qty 6540.44	Cum	521.96	3413848.19
12	Wet Mix Macadam (Plant mix method) Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the								
	Vide Premeasurement page no. 64-97					4372.38			
						Present Qty 4372.38	Cum	2764.54	12087626.45
13	Providing and applying primer coat with SS1 grade Bitumen Emulsion on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.90 kg per m2 using mechanical means. Prime Coat over WMM/WBM								
	Vide Premeasurement page no. 98 - 131					19056.23			
						Present Qty 19056.23	Sqm	48.50	924226.91
14	Tack coat on Bituminous surface Providing and applying tack coat with VG - 10 Bitumen using pressure distributor at the rate of 0.20 kg/sqm on the prepared bituminous surface								
	Vide Premeasurement page no. 132 - 197					61754.94			
						Present Qty 61754.94	Sqm	13.86	855923.43
15	Providing and laying Dense Graded Bituminous Macadam with 40/60 TPH capacity HMP using crushed aggregates ofspecified grading, premixed with bituminous binder VG-40, @ 4.5 per cent by weight of total mix and filler, transporting the hot mix to work site, laying								
	Vide Premeasurement page no. 198 - 231					956.87			
						Present Qty 956.87	Cum	10859.55	10391164.03
18	Providing and laying in position plain cement concrete for levelling course for all works in foundation. The granite/trap/basalt crushed graded coarse aggregates and fine aggregates as per relevant IS Codes machine mixed, laid in layers not exceeding 150 mm								
	Vide Premeasurement page no. 232 - 237					169.49			
						Present Qty 169.49	Cum	6614.58	1121091.94
19	Providing and laying in position Reinforced cement concrete for all Foundation works. The granite/trap/basalt crushed graded coarse aggregates and fine aggregates as per relevant IS Codes machine mixed with super plasticizers laid in finished layers, well								
	Vide Premeasurement page no. 238 - 237					327.26			
						Present Qty 327.26	Cum	7206.00	2358253.58
20	Supplying, Fitting and Placing TMT Fe 500 & above Reinforcement in Foundation / Substructure / Superstructure complete as per Drawing and Technical Specifications								
	Vide Premeasurement page no. 238 - 240					20.13			
						Present Qty 20.13	Tn	97077.74	1954294.70

G. P. K. S.



2023-2024

ಪ್ರಾಜೆಕ್ಟ್ ಕನ್ಸಲ್ಟಂಟ್ಸ್ ಉಪಾಧ್ಯಕ್ಷರು
ವಿಶ್ವವಿದ್ಯಾಲಯ ಉಪ ನಿರ್ದೇಶಕರು
ಬಿ.ಬಿ.ಎಂ.ಸಿ., ಬೆಂಗಳೂರು-97

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
22	Providing and laying in position plain cement concrete for levelling course for all works in foundation. The granite/trap/basalt crushed graded coarse aggregates and fine aggregates as per relevant IS Codes machine mixed, laid in layers not exceeding 150 mm								
	Vide Premeasurement page no. 241 - 246					600.24 ✓			
						Present Qty 600.24	Cum	232.11	139321.94
23	Providing and laying in position plain cement concrete for levelling course for all works in foundation. The granite/trap/basalt crushed graded coarse aggregates and fine aggregates as per relevant IS Codes machine mixed, laid in layers not exceeding 150 mm								
	Vide Premeasurement page no. 247 - 253					1228.56 ✓			
						Present Qty 1228.56	Cum	5611.08	6893537.92
E1	Construction of granular sub-base Grading-V as Sub-base and drainage layer by providing coarse graded crushed stone aggregates of granite/ trap/basalt material, mixing in a mechanical mix plant at OMC, Carriage of mixed material to work site, spreading in								
	Vide Premeasurement page no. 254 - 285					2388.93			
						Present Qty 2388.93	Cum	2710.27	6474652.27

G. R. P. S. Contractor



Assistant Engineer

Asst. Executive Engineer,

22.2.2024, Dindigul-97

Name of Work:Package No.05 (Consists of 3 Works)

Detailed Measurements

Date of Measurements 28-12-2022, 26-12-2022

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
3	Providing of Precast slab of 10CM thick for Drains								
	RCC DrainSlab								
	Shimadri Layout								
	1st Cross Rd								
	RHS								
	Ch: 0.00m to 30.00m	1	30.00	0.90		27.00			
	Ch: 30.00m to 60.00m	1	30.00	0.90		27.00			
	Ch: 60.00m to 90.00m	1	30.00	0.90		27.00			
	Ch: 90.00m to 98.20m	1	8.20	0.90		7.38			
	LHS								
	Ch: 0.00m to 30.00m	1	30.00	0.90		27.00			
	Ch: 30.00m to 60.00m	1	30.00	0.90		27.00			
	Ch: 60.00m to 90.00m	1	30.00	0.90		27.00			
	Ch: 90.00m to 104.80m	1	14.80	0.90		13.32			
	2nd Cross Rd								
	LHS								
	Ch: 0.00m to 30.00m	1	30.00	0.75		22.50			
	Ch: 30.00m to 60.00m	1	30.00	0.75		22.50			
	Ch: 60.00m to 68.20m	1	8.20	0.75		6.15			
	RHS								
	Ch: 0.00m to 30.00m	1	30.00	0.75		22.50			
	Ch: 30.00m to 53.50m	1	23.50	0.75		17.63			
	Ch: 53.50m to 58.40m		4.90						
	Road Gap								
	Ch: 58.40m to 68.20m	1	9.80	0.75		7.35			
	3rd Cross Rd								
	LHS								
	Ch: 0.00m to 30.00m	1	30.00	0.75		22.50			
	Ch: 30.00m to 60.00m	1	30.00	0.75		22.50			
	Ch: 60.00m to 90.00m	1	30.00	0.75		22.50			
	Ch: 90.00m to 105.40m	1	15.40	0.75		11.55			
	RHS								
	Ch: 0.00m to 30.00m	1	30.00	0.75		22.50			
	Ch: 30.00m to 60.00m	1	30.00	0.75		22.50			
	Ch: 60.00m to 90.00m	1	30.00	0.75		22.50			
	Ch: 90.00m to 109.70m	1	19.70	0.75		14.78			
	4th Cross Rd								
	LHS								
	Ch: 0.00m to 30.00m	1	30.00	0.75		22.50			

Contractor


Consultant

Asst.Engineer

Asst.Exec.Engineer

ಪ್ರಾಂತ್ಯ ಮಂತ್ರಿ ಮಹಾಶಯ
ಸಾರ್ವಜನಿಕ ಕೆಲಸಗಳ
ಇಲಾಖೆ, ಬೆಂಗಳೂರು-97

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 30.00m to 56.20m	1	26.20	0.75		19.65			
	RHS								
	Ch: 0.00m to 30.00m	1	30.00	0.75		22.50			
	Ch: 30.00m to 57.0m	1	27.00	0.75		20.25			
	5th Cross Rd								
	LHS								
	Ch: 0.00m to 30.00m	1	30.00	0.75		22.50			
	Ch: 30.00m to 56.40m	1	26.40	0.75		19.80			
	RHS								
	Ch: 0.00m to 30.00m	1	30.00	0.75		22.50			
	Ch: 30.00m to 56.00m	1	26.00	0.75		19.50			
	Singapura Paradise								
	6th Main Rd								
	LHS								
	Ch: 0.00m to 30.00m	1	30.00	0.90		27.00			
	Ch: 30.00m to 60.00m	1	30.00	0.90		27.00			
	Ch: 60.00m to 90.00m	1	30.00	0.90		27.00			
	Ch: 90.00m to 120.00m	1	30.00	0.90		27.00			
	Ch: 120.00m to 150.00m	1	30.00	0.90		27.00			
	Ch: 150.00m to 180.00m	1	30.00	0.90		27.00			
	Ch: 180.00m to 197.20m	1	17.20	0.90		15.48			
	RHS								
	Ch: 0.00m to 30.00m	1	30.00	0.90		27.00			
	Ch: 30.00m to 60.00m	1	30.00	0.90		27.00			
	Ch: 60.00m to 90.00m	1	30.00	0.90		27.00			
	Ch: 90.00m to 92.50m	1	2.50	0.90		2.25			
	Total Qty					872.58	Sqm	2175.19	1898027.29


 Contractor


 Consultant


 Asst. Engineer


 Asst. Exec. Engineer

22.00.21, 2021-07-27

Name of Work:Package No.05 (Consists of 3 Works)

Detailed Measurements

Date of Measurements 28-12-2022, 30-12-2022

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
4	Providing of Precast slab of 23CM thick for Culverts								
	Culvert Slab								
	Shimadri Layout								
		1	5.00	1.20		6.00			
		1	5.50	1.20		6.60			
Total Qty						12.60	Sqm	5287.84	66626.78

Contractor
Consultant

Asst. Engineer

Asst. Exec. Engineer
S.A.S.A., District-97

Name of Work:Package No.05 (Consists of 3 Works)

Detailed Measurements

Date of Measurements 20-01-2023, 23-01-2023, 10-02-2023

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
16	Providing and laying Bituminous Concrete with 40/60 TPH capacity hot mix plant using crushed aggregates of specified grading, premixed with bituminous binder VG-30, @ 5.4 per cent of mix and filler, transporting the hot mix to work site, laying with mechanical paver finisher to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per								
	Asphalt Road								
	Singapura Paradies								
	6th Main Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.60 + 4.55 2	0.04	2.75			
	Ch: 15.00m to 30.00m	1	15.00	4.55 + 4.20 2	0.04	2.63			
	Ch: 30.00m to 45.00m	1	15.00	4.20 + 4.45 2	0.04	2.60			
	Ch: 45.00m to 60.00m	1	15.00	4.45 + 5.00 2	0.04	2.84			
	Ch: 60.00m to 75.00m	1	15.00	5.00 + 4.55 2	0.04	2.87			
	Ch: 75.00m to 90.00m	1	15.00	4.55 + 4.80 2	0.04	2.81			
	Ch: 90.00m to 105.00m	1	15.00	4.80 + 4.70 2	0.04	2.85			
	Ch: 105.00m to 120.00m	1	15.00	4.70 + 4.70 2	0.04	2.82			
	Ch: 120.00m to 126.00m	1	6.00	4.70 + 4.10 2	0.04	1.06			
	Ch: 126.00m to 127.20m Culvert Gap		1.20						
	Ch: 127.20m to 142.20m	1	15.00	5.00 + 4.55 2	0.04	2.87			
	Ch: 142.20m to 147.70m	1	5.50	4.55 + 3.00 2	0.04	0.83			
	5th Main Rd								
	Ch: 0.00m to 15.00m	1	15.00	6.00 + 5.50 2	0.04	3.45			
	Ch: 15.00m to 30.00m	1	15.00	5.50 + 5.50 2	0.04	3.30			

Contractor
Consultant

Asst. Engineer

Asst. Exec. Engineer
2023-01-10

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 30.00m to 45.00m	1	15.00	5.50 + 4.40 2	0.04	2.97			
	Ch: 45.00m to 60.00m	1	15.00	4.40 + 4.60 2	0.04	2.70			
	Ch: 60.00m to 75.00m	1	15.00	4.60 + 4.50 2	0.04	2.73			
	Ch: 75.00m to 90.00m	1	15.00	4.50 + 4.60 2	0.04	2.73			
	Ch: 90.00m to 105.00m	1	15.00	4.60 + 4.60 2	0.04	2.76			
	Ch: 105.00m to 120.00m	1	15.00	4.60 + 4.25 2	0.04	2.66			
	Ch: 120.00m to 137.10m	1	17.10	5.10 + 4.60 2	0.04	3.32			
	4th Min Rd								
	Ch: 0.00m to 15.00m	1	15.00	5.10 + 4.60 2	0.04	2.91			
	Ch: 15.00m to 30.00m	1	15.00	4.60 + 4.20 2	0.04	2.64			
	Ch: 30.00m to 45.00m	1	15.00	4.20 + 5.00 2	0.04	2.76			
	Ch: 45.00m to 60.00m	1	15.00	5.00 + 4.70 2	0.04	2.91			
	Ch: 60.00m to 75.00m	1	15.00	4.70 + 5.60 2	0.04	3.09			
	Ch: 75.00m to 90.00m	1	15.00	5.60 + 4.30 2	0.04	2.97			
	Ch: 90.00m to 105.00m	1	15.00	4.30 + 3.90 2	0.04	2.46			
	Ch: 105.00m to 120.00m	1	15.00	3.90 + 4.50 2	0.04	2.52			
	Ch: 120.00m to 135.00m	1	15.00	4.50 + 4.10 2	0.04	2.58			
	Ch: 135.00m to 147.00m	1	12.00	4.10 + 4.00 2	0.04	1.94			
	2nd Main Rd								
	Ch: 0.00m to 15.00m	1	15.00	5.50 + 4.40 2	0.04	2.97			
	Ch: 15.00m to 30.00m	1	15.00	4.40 + 4.30 2	0.04	2.61			
	Ch: 30.00m to 45.00m	1	15.00	4.30 + 6.10 2	0.04	3.12			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 
 Attached with the bill of materials
 and the bill of quantities
 02.02.2024, Dated 02-02-2024

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 45.00m to 60.00m	1	15.00	6.10 + 6.50 2	0.04	3.78			
	Ch: 60.00m to 75.00m	1	15.00	6.50 + 6.00 2	0.04	3.75			
	Ch: 75.00m to 90.00m	1	15.00	6.00 + 5.00 2	0.04	3.30			
	Ch: 90.00m to 105.00m	1	15.00	5.00 + 6.10 2	0.04	3.33			
	Ch: 105.00m to 120.00m	1	15.00	6.10 + 6.50 2	0.04	3.78			
	Ch: 120.00m to 135.00m	1	15.00	6.50 + 6.00 2	0.04	3.75			
	Ch: 135.00m to 150.00m	1	15.00	6.00 + 5.00 2	0.04	3.30			
	Ch: 150.00m to 161.00m	1	11.00	5.00 + 5.35 2	0.04	2.28			
	1st Main Rd								
	Ch: 0.00m to 15.00m	1	15.00	6.50 + 6.35 2	0.04	3.86			
	Ch: 15.00m to 30.00m	1	15.00	6.35 + 6.00 2	0.04	3.71			
	Ch: 30.00m to 45.00m	1	15.00	6.00 + 6.60 2	0.04	3.78			
	Ch: 45.00m to 60.00m	1	15.00	6.60 + 6.70 2	0.04	3.99			
	Ch: 60.00m to 75.00m	1	15.00	6.70 + 6.00 2	0.04	3.81			
	Ch: 75.00m to 90.00m	1	15.00	6.00 + 7.40 2	0.04	4.02			
	Ch: 90.00m to 105.00m	1	15.00	7.40 + 7.30 2	0.04	4.41			
	Ch: 105.00m to 120.00m	1	15.00	7.30 + 6.90 2	0.04	4.26			
	Ch: 120.00m to 135.00m	1	15.00	6.90 + 6.30 2	0.04	3.96			
	Ch: 135.00m to 150.00m	1	15.00	6.30 + 6.10 2	0.04	3.72			
	Ch: 150.00m to 165.00m	1	15.00	6.10 + 6.10 2	0.04	3.66			
	1st Main 1st Cross Rd								
	Ch: 0.00m to 12.80m	1	12.80	4.90 + 4.80 2	0.04	2.48			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 
 20.00.00, 20.00.00, 20.00.00


Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 12.80m to 27.80m	1	15.00	4.30 + 5.10 2	0.04	2.82			
	Ch: 27.80m to 42.80m	1	15.00	5.10 + 4.80 2	0.04	2.97			
	Ch: 42.80m to 57.80m	1	15.00	4.80 + 4.10 2	0.04	2.67			
	Ch: 57.80m to 72.80m	1	15.00	4.10 + 4.30 2	0.04	2.52			
	Ch: 72.80m to 87.80m	1	15.00	4.30 + 4.50 2	0.04	2.64			
	Ch: 87.80m to 102.80m	1	15.00	4.50 + 4.20 2	0.04	2.61			
	Ch: 102.80m to 110.50m	1	7.70	4.20 + 4.00 2	0.04	1.26			
	1st Main 2nd Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	5.10 + 4.50 2	0.04	2.88			
	Ch: 15.00m to 30.00m	1	15.00	4.50 + 4.40 2	0.04	2.67			
	Ch: 30.00m to 36.10m	1	6.10	4.40 + 4.30 2	0.04	1.06			
	Ch: 36.10m to 51.10m	1	15.00	4.50 + 5.30 2	0.04	2.94			
	Ch: 51.10m to 66.10m	1	15.00	5.30 + 4.70 2	0.04	3.00			
	Ch: 66.10m to 81.10m	1	15.00	4.70 + 4.00 2	0.04	2.61			
	Ch: 81.10m to 96.10m	1	15.00	4.00 + 4.40 2	0.04	2.52			
	Ch: 96.10m to 108.90m	1	12.80	4.40 + 4.90 2	0.04	2.38			
	1st Main 3rd Cross Rd								
	Ch: 0.00m to 11.90m	1	11.90	5.30 + 4.70 2	0.04	2.38			
	Ch: 11.90m to 26.90m	1	15.00	3.80 + 4.60 2	0.04	2.52			
	Ch: 26.90m to 37.20m	1	10.30	4.60 + 5.30 2	0.04	2.04			
	Ch: 37.20m to 52.20m	1	15.00	4.50 + 5.90 2	0.04	3.12			
	Ch: 52.20m to 62.00m	1	9.80	5.90 + 5.50 2	0.04	2.23			



Asst. Engineer 20/3

Asst. Exec. Engineer
 20.03.2024, Dated 20-3-24

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 62.00m to 77.00m	1	15.00	4.30 + 4.30 2	0.04	2.58			
	Ch: 77.00m to 86.40m	1	9.40	4.30 + 4.30 2	0.04	1.62			
	Ch: 86.40m to 101.40m	1	15.00	5.80 + 5.30 2	0.04	3.33			
	Ch: 101.40m to 116.40m	1	15.00	5.30 + 6.00 2	0.04	3.39			
	Ch: 116.40m to 125.30m	1	8.90	6.00 + 6.40 2	0.04	2.21			
	New Sai Garden								
	4th Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	5.80 + 5.70 2	0.04	3.45			
	Ch: 15.00m to 30.00m	1	15.00	5.70 + 6.10 2	0.04	3.54			
	Ch: 30.00m to 45.00m	1	15.00	6.10 + 5.90 2	0.04	3.60			
	Ch: 45.00m to 58.00m	1	13.00	5.90 + 6.50 2	0.04	3.22			
	3rd Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	5.80 + 5.70 2	0.04	3.45			
	Ch: 15.00m to 30.00m	1	15.00	5.70 + 5.60 2	0.04	3.39			
	Ch: 30.00m to 45.00m	1	15.00	5.60 + 5.70 2	0.04	3.39			
	Ch: 45.00m to 54.30m	1	9.30	5.70 + 5.70 2	0.04	2.12			
	2nd Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	5.90 + 5.90 2	0.04	3.54			
	Ch: 15.00m to 30.00m	1	15.00	5.90 + 5.60 2	0.04	3.45			
	Ch: 30.00m to 45.00m	1	15.00	5.60 + 5.90 2	0.04	3.45			
	Ch: 45.00m to 47.00m	1	2.00	5.90 + 5.80 2	0.04	0.47			
	Ganesh Layout								
	3rd Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	6.20 + 6.30 2	0.04	3.75			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 

ಶಾಂತಿ ಮಹಮ್ಮದ್ ಎಂಜಿನಿಯರಿಂಗ್
ಮಾಲ್, ಬೆಂಗಳೂರು
೦೨.೦೦.೨೦, ಬೆಂಗಳೂರು-೨೨

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 15.00m to 20.00m	1	5.00	6.30 + 6.20 2	0.04	1.25			
	Ch: 20.00m to 35.00m	1	15.00	4.80 + 5.60 2	0.04	3.12			
	Ch: 35.00m to 50.00m	1	15.00	5.60 + 4.10 2	0.04	2.91			
	Ch: 50.00m to 57.60m	1	7.60	4.10 + 4.10 2	0.04	1.25			
	Ch: 57.60m to 72.60m	1	15.00	6.20 + 5.90 2	0.04	3.63			
	Ch: 72.60m to 87.60m	1	15.00	5.90 + 5.60 2	0.04	3.45			
	Ch: 87.60m to 95.10m	1	7.50	5.60 + 5.60 2	0.04	1.68			
	Ch: 95.10m to 110.10m	1	15.00	5.90 + 6.10 2	0.04	3.60			
	Ch: 110.10m to 120.40m	1	10.30	6.10 + 6.40 2	0.04	2.58			
	4th Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	5.30 + 5.50 2	0.04	3.24			
	Ch: 15.00m to 30.00m	1	15.00	5.50 + 5.90 2	0.04	3.42			
	Ch: 30.00m to 45.00m	1	15.00	5.90 + 6.20 2	0.04	3.63			
	Ch: 45.00m to 60.00m	1	15.00	6.20 + 5.00 2	0.04	3.36			
	Ch: 60.00m to 75.00m	1	15.00	5.00 + 4.80 2	0.04	2.94			
	Ch: 75.00m to 90.00m	1	15.00	4.80 + 4.70 2	0.04	2.85			
	Ch: 90.00m to 105.00m	1	15.00	4.70 + 6.00 2	0.04	3.21			
	Ch: 105.00m to 115.50m	1	10.50	6.00 + 5.60 2	0.04	2.44			
	Main Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.70 + 4.60 2	0.04	2.79			
	Ch: 15.00m to 30.00m	1	15.00	4.60 + 5.70 2	0.04	3.09			
	Ch: 30.00m to 45.00m	1	15.00	5.70 + 4.50 2	0.04	3.06			

Contractor  Consultant 


Asst.Engineer 

Asst.Exec.Engineer 
 ಸಹಾಯಕ ನಿರ್ದೇಶಕರು
 ಮಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
 ಮ.ನಿ.ನಿ.ಸ. ವಿಭಾಗ-97

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 45.00m to 60.00m	1	15.00	4.50 + 5.50 2	0.04	3.00			
	Ch: 60.00m to 75.00m	1	15.00	5.50 + 5.60 2	0.04	3.33			
	Ch: 75.00m to 90.00m	1	15.00	5.60 + 4.90 2	0.04	3.15			
	Ch: 90.00m to 105.00m	1	15.00	4.90 + 5.40 2	0.04	3.09			
	Ch: 105.00m to 120.00m	1	15.00	5.40 + 5.10 2	0.04	3.15			
	Ch: 120.00m to 135.00m	1	15.00	5.10 + 4.90 2	0.04	3.00			
	Ch: 135.00m to 150.00m	1	15.00	4.90 + 4.60 2	0.04	2.85			
	Ch: 150.00m to 165.00m	1	15.00	4.60 + 4.80 2	0.04	2.82			
	Ch: 165.00m to 180.00m	1	15.00	4.80 + 4.90 2	0.04	2.91			
	Ch: 180.00m to 195.00m	1	15.00	4.90 + 4.70 2	0.04	2.88			
	Ch: 195.00m to 210.00m	1	15.00	4.70 + 4.90 2	0.04	2.88			
	Ch: 210.00m to 225.00m	1	15.00	4.90 + 4.60 2	0.04	2.85			
	Ch: 225.00m to 240.00m	1	15.00	4.60 + 5.00 2	0.04	2.88			
	Ch: 240.00m to 255.00m	1	15.00	5.00 + 4.90 2	0.04	2.97			
	Ch: 255.00m to 270.00m	1	15.00	4.90 + 5.00 2	0.04	2.97			
	Ch: 270.00m to 285.00m	1	15.00	5.00 + 5.10 2	0.04	3.03			
	Ch: 285.00m to 300.00m	1	15.00	5.10 + 5.20 2	0.04	3.09			
	Ch: 300.00m to 315.00m	1	15.00	5.20 + 5.20 2	0.04	3.12			
	Ch: 315.00m to 330.00m	1	15.00	5.20 + 5.10 2	0.04	3.09			
	Ch: 330.00m to 336.50m	1	6.50	5.10 + 5.40 2	0.04	1.37			
	7th Main Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.10 + 3.50 2	0.04	2.28			
	Ch: 15.00m to 30.00m	1	15.00	3.50 + 3.50 2	0.04	2.10			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 
 Asst. Exec. Engineer
 M.C.C.A., District-97

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 15.00m to 30.00m	1	15.00	2	0.04	2.19			
	Ch: 30.00m to 45.00m	1	15.00	3.50 + 3.80 2	0.04	2.19			
	Ch: 45.00m to 55.40m	1	10.40	3.80 + 3.80 2	0.04	1.58			
6th Main Rd Right Side Rd									
	Ch: 0.00m to 15.00m	1	15.00	4.80 + 4.10 2	0.04	2.67			
	Ch: 15.00m to 30.00m	1	15.00	4.10 + 3.50 2	0.04	2.28			
	Ch: 30.00m to 45.00m	1	15.00	3.50 + 3.60 2	0.04	2.13			
	Ch: 45.00m to 46.20m	1	1.20	3.60 + 3.50 2	0.04	0.17			
6th Main Rd Left Side Rd									
	Ch: 0.00m to 15.00m	1	15.00	3.30 + 3.60 2	0.04	2.07			
	Ch: 15.00m to 30.00m	1	15.00	3.60 + 3.70 2	0.04	2.19			
	Ch: 30.00m to 45.00m	1	15.00	3.70 + 3.80 2	0.04	2.25			
	Ch: 45.00m to 47.00m	1	2.00	3.80 + 3.70 2	0.04	0.30			
5th Main Rd Left Side Rd									
	Ch: 0.00m to 15.00m	1	15.00	3.70 + 3.50 2	0.04	2.16			
	Ch: 15.00m to 30.00m	1	15.00	3.50 + 2.90 2	0.04	1.92			
	Ch: 30.00m to 36.30m	1	6.30	2.90 + 2.50 2	0.04	0.68			
5th Main Rd Right Side Rd									
	Ch: 0.00m to 15.00m	1	15.00	3.70 + 3.70 2	0.04	2.22			
	Ch: 15.00m to 30.00m	1	15.00	3.70 + 3.70 2	0.04	2.22			
	Ch: 30.00m to 45.00m	1	15.00	3.70 + 3.80 2	0.04	2.25			
	Ch: 45.00m to 47.50m	1	2.50	3.80 + 3.70 2	0.04	0.38			
4th Main Rd Right Side Rd									
	Ch: 0.00m to 15.00m	1	15.00	3.90 + 3.80 2	0.04	2.31			
	Ch: 15.00m to 30.00m	1	15.00	3.80 + 2.90 2	0.04	2.01			

Contractor



Consultant

Asst.Engineer

Asst.Exec.Engineer

ಇದರಲ್ಲಿ ವಿವರಿಸಿದ ಕೆಲಸಗಳನ್ನು
ಅನುಷ್ಠಾನಿಸುವುದು ಮತ್ತು ದಾಖಲೆ
ಮಾಡುವುದು, ದಿನಾಂಕ-97

Item No	Discription of Item	No	Length	Breadth		Depth	Qty	Unit	Rate	Amount
	Ch: 30.00m to 45.00m	1	15.00	2.90	3.70	0.04	1.98			
				2						
	Ch: 45.00m to 48.90m	3.90		3.70	3.60	0.04	0.57			
				2						
	2nd Main Rd Right Side Rd									
	Ch: 0.00m to 15.00m	1	15.00	4.30	4.20	0.04	2.55			
				2						
	Ch: 15.00m to 30.00m	1	15.00	4.20	4.40	0.04	2.58			
				2						
	Ch: 30.00m to 45.00m	1	15.00	4.40	4.50	0.04	2.67			
				2						
	Ch: 45.00m to 48.90m	1	3.90	4.50	4.80	0.04	0.73			
				2						
	Balaji Layout									
	2nd Cross Rd									
	Ch: 0.00m to 15.00m	1	15.00	5.50	5.80	0.04	3.39			
				2						
	Ch: 15.00m to 30.00m	1	15.00	5.80	5.70	0.04	3.45			
				2						
	Ch: 30.00m to 45.00m	1	15.00	5.70	6.50	0.04	3.66			
				2						
	Ch: 45.00m to 60.00m	1	15.00	6.50	6.50	0.04	3.90			
				2						
	Ch: 60.00m to 75.00m	1	15.00	6.50	6.20	0.04	3.81			
				2						
	Ch: 75.00m to 89.30m	1	14.30	6.20	6.50	0.04	3.63			
				2						
	3rd Cross Rd Left Side Rd									
	Ch: 0.00m to 15.00m	1	15.00	5.80	6.50	0.04	3.69			
				2						
	Ch: 15.00m to 30.00m	1	15.00	6.50	6.40	0.04	3.87			
				2						
	Ch: 30.00m to 45.00m	1	15.00	6.40	6.40	0.04	3.84			
				2						
	Ch: 45.00m to 60.00m	1	15.00	6.40	6.90	0.04	3.99			
				2						
	Ch: 60.00m to 75.00m	1	15.00	6.90	6.70	0.04	4.08			
				2						
	Ch: 75.00m to 76.60m	1	1.60	6.70	6.60	0.04	0.43			
				2						
	3rd Cross Rd Right Side Rd									
	Ch: 0.00m to 15.00m	1	15.00	6.80	6.10	0.04	3.87			
				2						
	Ch: 15.00m to 30.00m	1	15.00	6.10	6.10	0.04	3.66			
				2						

Contractor

Consultant

Asst. Engineer

Asst. Exec. Engineer

ಇದರಲ್ಲಿ ನಮೂನೆ ಉಪಯೋಗಿಸಿದ
ಅಂಶಗಳನ್ನು ಎಲ್ಲಾ ಅಂಗ
ಮಾನ್ಯತೆ, ದಿನಾಂಕ-97

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 105.00m to 120.00m	1	15.00	5.80 + 6.00 2	0.04	3.54			
	Ch: 120.00m to 122.50m	1	2.50	6.00 + 7.40 2	0.04	0.67			
Singapura Layout									
1st Cross Rd									
	Ch: 0.00m to 15.00m	1	15.00	4.40 + 3.30 2	0.04	2.31			
	Ch: 15.00m to 30.00m	1	15.00	3.30 + 3.30 2	0.04	1.98			
	Ch: 30.00m to 45.00m	1	15.00	3.30 + 3.70 2	0.04	2.10			
	Ch: 45.00m to 60.00m	1	15.00	3.70 + 4.20 2	0.04	2.37			
	Ch: 60.00m to 70.80m	1	10.80	4.20 + 4.80 2	0.04	1.94			
2nd Cross Rd									
	Ch: 0.00m to 15.00m	1	15.00	7.50 + 4.80 2	0.04	3.69			
	Ch: 15.00m to 30.00m	1	15.00	4.80 + 4.90 2	0.04	2.91			
	Ch: 30.00m to 45.00m	1	15.00	4.90 + 5.30 2	0.04	3.06			
	Ch: 45.00m to 60.00m	1	15.00	5.30 + 5.20 2	0.04	3.15			
	Ch: 60.00m to 75.00m	1	15.00	5.20 + 5.10 2	0.04	3.09			
	Ch: 75.00m to 90.00m	1	15.00	5.10 + 5.40 2	0.04	3.15			
	Ch: 90.00m to 105.00m	1	15.00	5.40 + 5.30 2	0.04	3.21			
	Ch: 105.00m to 120.00m	1	15.00	5.30 + 5.50 2	0.04	3.24			
	Ch: 120.00m to 121.30m	1	1.30	5.50 + 5.50 2	0.04	0.29			
3rd Cross Rd									
	Ch: 0.00m to 15.00m	1	15.00	7.70 + 4.60 2	0.04	3.69			


Contractor
Consultant


Asst. Engineer

Asst. Exec. Engineer

Asst. Exec. Engineer
Asst. Exec. Engineer
Asst. Exec. Engineer

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 15.00m to 30.00m	1	15.00	4.60 + 3.70 2	0.04	2.49	✓		
	Ch: 30.00m to 32.00m	1	2.00	3.70 + 3.70 2	0.04	0.30	✓		
	Ch: 32.00m to 47.00m	1	15.00	4.20 + 4.70 2	0.04	2.67	✓		
	Ch: 47.00m to 62.00m	1	15.00	4.70 + 4.70 2	0.04	2.82	✓		
	Ch: 62.00m to 77.00m	1	15.00	7.50 + 4.80 2	0.04	3.69	✓		
	Ch: 77.00m to 92.00m	1	15.00	4.80 + 4.10 2	0.04	2.67	✓		
	Ch: 92.00m to 107.00m	1	15.00	4.10 + 4.90 2	0.04	2.70	✓		
	Ch: 107.00m to 122.00m	1	15.00	4.90 + 4.60 2	0.04	2.85	✓		
	Ch: 122.00m to 137.00m	1	15.00	4.60 + 4.80 2	0.04	2.82	✓		
	Ch: 137.00m to 152.00m	1	15.00	4.80 + 4.70 2	0.04	2.85	✓		
	Ch: 152.00m to 167.00m	1	15.00	4.70 + 5.00 2	0.04	2.91	✓		
	Ch: 167.00m to 169.60m	1	2.60	5.00 + 5.00 2	0.04	0.52	✓		
	Ch: 169.60m to 184.60m	1	15.00	4.20 + 5.70 2	0.04	2.97	✓		
	Ch: 184.60m to 185.60m	1	1.00	5.70 + 5.80 2	0.04	0.23	✓		
	4th Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	6.70 + 5.40 2	0.04	3.63	✓		
	Ch: 15.00m to 30.00m	1	15.00	5.40 + 4.60 2	0.04	3.00	✓		
	Ch: 30.00m to 45.00m	1	15.00	4.60 + 4.80 2	0.04	2.82	✓		
	Ch: 45.00m to 60.00m	1	15.00	4.80 + 5.00 2	0.04	2.94	✓		
	Ch: 60.00m to 75.00m	1	15.00	5.00 + 4.60 2	0.04	2.88	✓		
	Ch: 75.00m to 90.00m	1	15.00	4.60 + 5.00 2	0.04	2.88	✓		
	Ch: 90.00m to 105.00m	1	15.00	5.00 + 4.60 2	0.04	2.88	✓		
	Ch: 105.00m to 120.00m	1	15.00	4.60 + 4.70 2	0.04	2.70	✓		


Contractor  Consultant 


Asst. Engineer 


Asst. Exec. Engineer 

අමතර තොරතුරු සපයන්න
අනුමත වූ පිටපත
02.02.2023, 10:00:00 AM

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 105.00m to 120.00m	1	15.00	2	0.04	2.75			
	Ch: 120.00m to 135.00m	1	15.00	4.70 + 4.80 2	0.04	2.85			
	Ch: 135.00m to 150.00m	1	15.00	4.80 + 4.90 2	0.04	2.91			
	Ch: 150.00m to 165.00m	1	15.00	4.90 + 4.50 2	0.04	2.82			
	Ch: 165.00m to 180.00m	1	15.00	4.50 + 4.60 2	0.04	2.73			
	Ch: 180.00m to 195.00m	1	15.00	4.60 + 3.80 2	0.04	2.52			
	Ch: 195.00m to 210.00m	1	15.00	3.80 + 3.50 2	0.04	2.19			
	Ch: 210.00m to 211.00m	1	1.00	3.50 + 3.10 2	0.04	0.13			
	5th Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.90 + 3.55 2	0.04	2.54			
	Ch: 15.00m to 30.00m	1	15.00	3.55 + 3.40 2	0.04	2.09			
	Ch: 30.00m to 45.00m	1	15.00	3.40 + 3.40 2	0.04	2.04			
	Ch: 45.00m to 60.00m	1	15.00	3.40 + 3.80 2	0.04	2.16			
	Ch: 60.00m to 75.00m	1	15.00	3.80 + 4.20 2	0.04	2.40			
	Ch: 75.00m to 90.00m	1	15.00	4.20 + 5.00 2	0.04	2.76			
	Ch: 90.00m to 105.00m	1	15.00	5.00 + 4.05 2	0.04	2.72			
	Ch: 105.00m to 120.00m	1	15.00	4.05 + 5.00 2	0.04	2.72			
	Ch: 120.00m to 135.00m	1	15.00	5.00 + 4.50 2	0.04	2.85			
	Ch: 135.00m to 150.00m	1	15.00	4.50 + 4.10 2	0.04	2.58			
	Ch: 150.00m to 165.00m	1	15.00	4.10 + 5.00 2	0.04	2.73			
	Ch: 165.00m to 180.00m	1	15.00	5.00 + 4.40 2	0.04	2.82			
	Ch: 180.00m to 195.00m	1	15.00	4.40 + 4.40 2	0.04	2.64			
	Ch: 195.00m to 210.00m	1	15.00	4.40 + 4.10 2	0.04	2.55			

Contractor  Consultant 


Asst. Engineer 

Asst. Exec. Engineer 
 02.02.2021, Dorduch-97


Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 210.00m to 225.00m	1	15.00	4.10 + 4.20 2	0.04	2.49			
	Ch: 225.00m to 239.50m	1	14.50	4.10 + 4.10 2	0.04	0.74			
	6th Cross Rd From End								
	Ch: 0.00m to 15.00m	1	15.00	4.30 + 4.50 2	0.04	2.64			
	Ch: 15.00m to 30.00m	1	15.00	4.50 + 3.90 2	0.04	2.52			
	Ch: 30.00m to 45.00m	1	15.00	3.90 + 5.40 2	0.04	2.79			
	Ch: 45.00m to 47.20m	1	2.20	5.40 + 5.80 2	0.04	0.49			
	Continued								
	Ch: 0.00m to 15.00m	1	15.00	4.00 + 4.70 2	0.04	2.61			
	Ch: 15.00m to 30.00m	1	15.00	4.70 + 4.30 2	0.04	2.70			
	Ch: 30.00m to 45.00m	1	15.00	4.30 + 4.70 2	0.04	2.70			
	Ch: 45.00m to 60.00m	1	15.00	4.70 + 4.90 2	0.04	2.88			
	Ch: 60.00m to 75.00m	1	15.00	4.90 + 5.15 2	0.04	3.02			
	Ch: 75.00m to 90.00m	1	15.00	5.15 + 5.60 2	0.04	3.23			
	Ch: 90.00m to 105.00m	1	15.00	5.60 + 5.40 2	0.04	3.30			
	Ch: 105.00m to 120.00m	1	15.00	5.40 + 5.80 2	0.04	3.36			
	Ch: 120.00m to 135.00m	1	15.00	5.80 + 5.20 2	0.04	3.30			
	Ch: 135.00m to 150.00m	1	15.00	5.20 + 4.70 2	0.04	2.97			
	Ch: 150.00m to 165.00m	1	15.00	4.70 + 5.30 2	0.04	3.00			
	Ch: 165.00m to 180.00m	1	15.00	5.30 + 5.20 2	0.04	3.15			
	Ch: 180.00m to 195.00m	1	15.00	5.20 + 5.50 2	0.04	3.21			


Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 

 20.03.2023, Dated: 20-3-2023

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 195.00m to 210.00m	1	15.00	5.50 + 5.70 2	0.04	3.36			
	Ch: 210.00m to 218.90m	1	8.90	5.70 + 7.30 2	0.04	2.31			
	Cross Rd-1								
	Ch: 0.00m to 15.00m	1	15.00	5.70 + 4.40 2	0.04	3.03			
	Ch: 15.00m to 30.00m	1	15.00	4.40 + 4.80 2	0.04	2.76			
	Ch: 30.00m to 34.70m	1	4.70	4.80 + 4.90 2	0.04	0.91			
	5th A Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.35 + 3.90 2	0.04	2.48			
	Ch: 15.00m to 30.00m	1	15.00	3.90 + 3.30 2	0.04	2.16			
	Ch: 30.00m to 45.00m	1	15.00	3.30 + 3.90 2	0.04	2.16			
	Ch: 45.00m to 60.00m	1	15.00	3.90 + 3.50 2	0.04	2.22			
	Ch: 60.00m to 75.00m	1	15.00	3.50 + 3.60 2	0.04	2.13			
	Ch: 75.00m to 90.00m	1	15.00	3.60 + 3.70 2	0.04	2.19			
	Ch: 90.00m to 96.00m	1	6.00	3.70 + 3.80 2	0.04	0.90			
	Patanjali Shop Rd								
	Ch: 0.00m to 15.00m	1	15.00	9.30 + 5.50 2	0.04	4.44			
	Ch: 15.00m to 30.00m	1	15.00	5.50 + 4.30 2	0.04	2.94			
	Ch: 30.00m to 45.00m	1	15.00	4.30 + 5.40 2	0.04	2.91			
	Ch: 45.00m to 60.00m	1	15.00	5.40 + 5.35 2	0.04	3.23			
	Ch: 60.00m to 75.00m	1	15.00	5.35 + 5.00 2	0.04	3.11			
	Ch: 75.00m to 90.00m	1	15.00	5.00 + 4.30 2	0.04	2.79			
	Ch: 90.00m to 105.00m	1	15.00	4.30 + 4.90 2	0.04	2.76			
	Ch: 105.00m to 120.00m	1	15.00	4.90 + 5.30 2	0.04	3.06			
	Ch: 120.00m to 125.00m	1	15.00	5.30 + 5.05 2	0.04	3.11			

Contractor  Consultant 


Asst. Engineer 

Asst. Exec. Engineer 
 Digitized and Signed
 M.A.S.A., Dated: 07


Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 120.00m to 135.00m	1	15.00	2	0.04	3.11			
	Ch: 135.00m to 141.40m	1	6.40	5.05 + 4.90 2	0.04	1.27			
	Cross Rd-6								
	Ch: 0.00m to 15.00m	1	15.00	4.60 + 3.70 2	0.04	2.49			
	Ch: 15.00m to 20.50m	1	5.50	3.70 + 3.50 2	0.04	0.79			
	Cross Rd-5								
	Ch: 0.00m to 15.00m	1	15.00	4.50 + 4.30 2	0.04	2.64			
	Ch: 15.00m to 16.00m	1	1.00	4.30 + 4.30 2	0.04	0.17			
	Cross Rd-4								
	Ch: 0.00m to 15.00m	1	15.00	3.90 + 3.60 2	0.04	2.25			
	Ch: 15.00m to 22.20m	1	7.20	3.60 + 3.60 2	0.04	1.04			
	Cross Rd-3								
	Ch: 0.00m to 15.00m	1	15.00	3.90 + 3.40 2	0.04	2.19			
	Ch: 15.00m to 24.20m	1	9.20	3.40 + 3.20 2	0.04	1.21			
	Cross Rd-2								
	Ch: 0.00m to 15.00m	1	15.00	3.90 + 4.30 2	0.04	2.46			
	Ch: 15.00m to 22.00m	1	7.00	4.30 + 4.15 2	0.04	1.18			
	Cross Rd-1								
	Ch: 0.00m to 15.00m	1	15.00	4.10 + 3.00 2	0.04	2.13			
	Ch: 15.00m to 22.70m	1	7.70	3.00 + 3.10 2	0.04	0.94			
	3rd Main Rd								
	Ch: 0.00m to 15.00m	1	15.00	5.10 + 3.80 2	0.04	2.67			
	Ch: 15.00m to 30.00m	1	15.00	3.80 + 4.00 2	0.04	2.34			
	Ch: 30.00m to 45.00m	1	15.00	4.00 + 3.80 2	0.04	2.34			
	Ch: 45.00m to 60.00m	1	15.00	3.80 + 4.00 2	0.04	2.34			
	Ch: 60.00m to 75.00m	1	15.00	4.00 + 3.60 2	0.04	2.28			

Contractor  Consultant 


Asst. Engineer  203

Asst. Exec. Engineer 
 0.0.00.01, 00/00/00-97

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 75.00m to 90.00m	1	15.00	3.60 + 3.55 2	0.04	2.15			
	Ch: 90.00m to 105.00m	1	15.00	3.55 + 4.30 2	0.04	2.36			
	Ch: 105.00m to 120.00m	1	15.00	4.30 + 3.40 2	0.04	2.31			
	Ch: 120.00m to 135.00m	1	15.00	3.40 + 4.40 2	0.04	2.34			
	Ch: 135.00m to 150.00m	1	15.00	4.40 + 4.60 2	0.04	2.70			
	Ch: 150.00m to 165.00m	1	15.00	4.60 + 4.00 2	0.04	2.58			
	Ch: 165.00m to 178.00m	1	13.00	4.00 + 4.60 2	0.04	2.24			
	2nd Main Rd								
	Ch: 0.00m to 15.00m	1	15.00	6.20 + 4.30 2	0.04	3.15			
	Ch: 15.00m to 30.00m	1	15.00	4.30 + 4.70 2	0.04	2.70			
	Ch: 30.00m to 45.00m	1	15.00	4.70 + 4.30 2	0.04	2.70			
	Ch: 45.00m to 60.00m	1	15.00	4.30 + 4.70 2	0.04	2.70			
	Ch: 60.00m to 75.00m	1	15.00	4.70 + 5.15 2	0.04	2.96			
	Ch: 75.00m to 90.00m	1	15.00	5.15 + 4.80 2	0.04	2.99			
	Ch: 90.00m to 105.00m	1	15.00	4.80 + 5.10 2	0.04	2.97			
	Ch: 105.00m to 120.00m	1	15.00	5.10 + 4.90 2	0.04	3.00			
	Ch: 120.00m to 135.00m	1	15.00	4.90 + 4.90 2	0.04	2.94			
	Ch: 135.00m to 150.00m	1	15.00	4.90 + 5.00 2	0.04	2.97			
	Ch: 150.00m to 165.00m	1	15.00	5.00 + 4.60 2	0.04	2.88			
	Ch: 165.00m to 180.00m	1	15.00	4.60 + 5.20 2	0.04	2.94			
	Ch: 180.00m to 195.00m	1	15.00	5.20 + 4.55 2	0.04	2.93			
	Ch: 195.00m to 210.00m	1	15.00	4.55 + 3.60 2	0.04	2.45			
	Ch: 210.00m to 225.00m	1	15.00	3.60 + 3.50 2	0.04	2.12			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 

 20.00.00, 20.00.00

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 210.00m to 225.00m	1	15.00	2	0.04	2.13			
	Ch: 225.00m to 240.00m	1	15.00	3.50 + 3.40 2	0.04	2.07			
	Ch: 240.00m to 255.00m	1	15.00	3.40 + 3.50 2	0.04	2.07			
	Ch: 255.00m to 270.00m	1	15.00	3.50 + 3.60 2	0.04	2.13			
	Ch: 270.00m to 285.00m	1	15.00	3.60 + 3.70 2	0.04	2.19			
	Ch: 285.00m to 300.00m	1	15.00	3.70 + 3.65 2	0.04	2.21			
	Ch: 300.00m to 315.00m	1	15.00	3.65 + 3.80 2	0.04	2.24			
	Ch: 315.00m to 330.00m	1	15.00	3.80 + 3.35 2	0.04	2.15			
	Ch: 330.00m to 345.00m	1	15.00	3.35 + 3.70 2	0.04	2.12			
	Ch: 345.00m to 360.00m	1	15.00	3.70 + 3.20 2	0.04	2.07			
	Ch: 360.00m to 375.00m	1	15.00	3.20 + 3.50 2	0.04	2.01			
	Ch: 375.00m to 390.00m	1	15.00	3.50 + 3.10 2	0.04	1.98			
	Ch: 390.00m to 395.30m	1	5.30	3.10 + 3.00 2	0.04	0.65			
	Cross Rd-7								
	Ch: 0.00m to 15.00m	1	15.00	4.30 + 3.40 2	0.04	2.31			
	Ch: 15.00m to 27.30m	1	12.30	3.40 + 3.10 2	0.04	1.60			
	1st Main Rd from end								
	Ch: 0.00m to 15.00m	1	15.00	5.00 + 4.30 2	0.04	2.79			
	Ch: 15.00m to 30.00m	1	15.00	4.30 + 4.80 2	0.04	2.73			
	Ch: 30.00m to 45.00m	1	15.00	4.80 + 3.70 2	0.04	2.55			
	Ch: 45.00m to 60.00m	1	15.00	3.70 + 4.90 2	0.04	2.58			


 Contractor


 Consultant





 Asst. Engineer


 Asst. Exec. Engineer

02.02.2024, 10:00 AM

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 60.00m to 75.00m	1	15.00	4.90 + 4.80 2	0.04	2.91			
	Ch: 75.00m to 90.00m	1	15.00	4.80 + 5.20 2	0.04	3.00			
	Ch: 90.00m to 105.00m	1	15.00	5.20 + 5.70 2	0.04	3.27			
	Ch: 105.00m to 120.00m	1	15.00	5.70 + 5.10 2	0.04	3.24			
	Ch: 120.00m to 135.00m	1	15.00	5.10 + 5.10 2	0.04	3.06			
	Ch: 135.00m to 150.00m	1	15.00	5.10 + 4.30 2	0.04	2.82			
	Ch: 150.00m to 165.00m	1	15.00	4.30 + 4.30 2	0.04	2.58			
	Ch: 165.00m to 180.00m	1	15.00	4.30 + 4.40 2	0.04	2.61			
	Ch: 180.00m to 195.00m	1	15.00	4.40 + 4.10 2	0.04	2.55			
	Ch: 195.00m to 210.00m	1	15.00	4.10 + 3.70 2	0.04	2.34			
	Ch: 210.00m to 225.00m	1	15.00	3.70 + 3.10 2	0.04	2.04			
	Ch: 225.00m to 240.00m	1	15.00	3.10 + 3.55 2	0.04	2.00			
	Ch: 240.00m to 255.00m	1	15.00	3.55 + 3.65 2	0.04	2.16			
	Ch: 255.00m to 270.00m	1	15.00	3.65 + 5.65 2	0.04	2.79			
	Ch: 270.00m to 275.00m	1	5.00	5.65 + 5.60 2	0.04	1.13			
	Continued								
	Ch: 275.00m to 290.00m	1	15.00	6.80 + 4.00 2	0.04	3.24			
	Ch: 290.00m to 305.00m	1	15.00	4.00 + 3.40 2	0.04	2.22			
	Ch: 305.00m to 320.00m	1	15.00	3.40 + 3.35 2	0.04	2.03			
	Ch: 320.00m to 335.00m	1	15.00	3.35 + 3.65 2	0.04	2.10			
	Ch: 335.00m to 350.00m	1	15.00	3.65 + 3.30 2	0.04	2.09			
	Ch: 350.00m to 365.00m	1	15.00	3.30 + 3.60 2	0.04	2.07			
	Ch: 365.00m to 380.00m	1	15.00	3.60 + 3.80 2	0.04	2.22			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 

For the Engineer in Charge
Sd/-
02.02.2024, Borkhera-97

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 365.00m to 380.00m	1	15.00	2	0.04	2.22			
	Ch: 380.00m to 395.00m	1	15.00	3.80 + 3.70 2	0.04	2.25			
	Ch: 395.00m to 410.00m	1	15.00	3.70 + 3.90 2	0.04	2.28			
	Ch: 410.00m to 425.00m	1	15.00	3.90 + 4.40 2	0.04	2.49			
	Ch: 425.00m to 438.00m	1	13.00	4.40 + 7.45 2	0.04	3.08			
	Cross Rd-8								
	Ch: 0.00m to 15.00m	1	15.00	3.60 + 3.85 2	0.04	2.24			
	Ch: 15.00m to 27.50m	1	12.50	3.85 + 4.00 2	0.04	1.96			
	Cross Rd-9								
	Ch: 0.00m to 15.00m	1	15.00	3.70 + 3.00 2	0.04	2.01			
	Ch: 15.00m to 27.00m	1	12.00	3.00 + 3.10 2	0.04	1.46			
	Kamaru House Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.70 + 4.80 2	0.04	2.85			
	Ch: 15.00m to 24.50m	1	9.50	4.80 + 4.30 2	0.04	1.73			
	Continued								
	Ch: 24.50m to 39.50m	1	15.00	5.90 + 4.45 2	0.04	3.11			
	Ch: 39.50m to 54.50m	1	15.00	4.45 + 4.30 2	0.04	2.63			
	Ch: 54.50m to 69.50m	1	15.00	4.30 + 4.45 2	0.04	2.63			
	Ch: 69.50m to 84.50m	1	15.00	4.45 + 4.60 2	0.04	2.72			
	Ch: 84.50m to 99.50m	1	15.00	4.60 + 5.10 2	0.04	2.91			
	Ch: 99.50m to 114.50m	1	15.00	5.10 + 4.20 2	0.04	2.79			
	Ch: 114.50m to 129.50m	1	15.00	4.20 + 4.50 2	0.04	2.61			
	Ch: 129.50m to 144.50m	1	15.00	4.50 + 4.40 2	0.04	2.67			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 
 22.2.2024, Borkher-57

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 144.50m to 159.50m	1	15.00	4.40 + 4.15 2	0.04	2.57			
	Ch: 159.50m to 174.50m	1	15.00	4.15 + 4.65 2	0.04	2.64			
	Ch: 174.50m to 189.50m	1	15.00	4.65 + 4.60 2	0.04	2.78			
	Ch: 189.50m to 204.50m	1	15.00	4.60 + 4.70 2	0.04	2.79			
	Ch: 204.50m to 219.50m	1	15.00	4.70 + 5.20 2	0.04	2.97			
	Ch: 219.50m to 234.50m	1	15.00	5.20 + 4.00 2	0.04	2.76			
	Ch: 234.50m to 249.50m	1	15.00	4.00 + 4.00 2	0.04	2.40			
	Ch: 249.50m to 264.50m	1	15.00	4.00 + 4.50 2	0.04	2.55			
	Ch: 264.50m to 269.50m	1	5.00	4.50 + 4.50 2	0.04	0.90			
	Ch: 269.50m to 284.50m	1	15.00	6.80 + 5.00 2	0.04	3.54			
	Ch: 284.50m to 291.50m	1	7.00	5.00 + 4.80 2	0.04	1.37			
	Muniswamappa Garden								
	6th Main Rd								
	Ch: 0.00m to 15.00m	1	15.00	6.20 + 5.80 2	0.04	3.60			
	Ch: 15.00m to 30.00m	1	15.00	5.80 + 5.70 2	0.04	3.45			
	Ch: 30.00m to 45.00m	1	15.00	5.70 + 5.40 2	0.04	3.33			
	Ch: 45.00m to 60.00m	1	15.00	5.40 + 5.40 2	0.04	3.24			
	Ch: 60.00m to 75.00m	1	15.00	5.40 + 5.50 2	0.04	3.27			
	Ch: 75.00m to 90.00m	1	15.00	5.50 + 5.50 2	0.04	3.30			
	Ch: 90.00m to 105.00m	1	15.00	5.50 + 5.30 2	0.04	3.24			
	Ch: 105.00m to 120.00m	1	15.00	5.30 + 5.60 2	0.04	3.27			
	Continued								
	Ch: 120.00m to 135.00m	1	15.00	4.15 + 4.70 2	0.04	2.66			
	Ch: 135.00m to 150.00m	1	15.00	4.70 + 5.10 2	0.04	2.94			

Contractor

Consultant

Asst. Engineer



Asst. Engineer

0.0.00.0. 20/10/2017-97


Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 135.00m to 150.00m	1	15.00	2	0.04	2.54			
	Ch: 150.00m to 165.00m	1	15.00	5.10 + 4.40 2	0.04	2.85			
	Ch: 165.00m to 180.00m	1	15.00	4.40 + 4.10 2	0.04	2.55			
	Ch: 180.00m to 195.00m	1	15.00	4.10 + 3.50 2	0.04	2.28			
	Ch: 195.00m to 208.00m	1	13.00	3.50 + 4.10 2	0.04	1.98			
	1st Main Rd								
	Ch: 0.00m to 15.00m	1	15.00	6.10 + 6.55 2	0.04	3.80			
	Ch: 15.00m to 30.00m	1	15.00	6.55 + 7.25 2	0.04	4.14			
	Ch: 30.00m to 45.00m	1	15.00	7.25 + 6.90 2	0.04	4.25			
	Ch: 45.00m to 60.00m	1	15.00	6.90 + 5.90 2	0.04	3.84			
	Ch: 60.00m to 75.00m	1	15.00	5.90 + 5.90 2	0.04	3.54			
	Ch: 75.00m to 90.00m	1	15.00	5.90 + 5.80 2	0.04	3.51			
	Ch: 90.00m to 105.00m	1	15.00	5.80 + 5.90 2	0.04	3.51			
	Ch: 105.00m to 112.00m	1	7.00	5.90 + 5.70 2	0.04	1.62			
	Cross Rd-1								
	Ch: 0.00m to 15.00m	1	15.00	4.10 + 3.50 2	0.04	2.28			
	Ch: 15.00m to 30.00m	1	15.00	3.50 + 3.95 2	0.04	2.24			
	Ch: 30.00m to 35.30m	1	5.30	3.95 + 3.90 2	0.04	0.83			
	Cross Rd-2								
	Ch: 0.00m to 15.00m	1	15.00	4.60 + 4.15 2	0.04	2.63			
	Ch: 15.00m to 30.00m	1	15.00	4.15 + 4.30 2	0.04	2.54			
	Ch: 30.00m to 45.00m	1	15.00	4.30 + 4.30 2	0.04	2.58			
	Ch: 45.00m to 50.00m	1	5.00	4.30 + 4.70 2	0.04	0.90			
	Cross Rd-3								
	Ch: 0.00m to 15.00m	1	15.00	3.90 + 4.00 2	0.04	2.37			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 
 Sd/- 
 Sd/- 
 Sd/- 

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 0.00m to 15.00m	1	15.00	2	0.04	2.37			
	Ch: 15.00m to 30.00m	1	15.00	4.00 + 3.30 2	0.04	2.19			
	Ch: 30.00m to 37.00m	1	7.00	3.30 + 3.00 2	0.04	0.88			
	Cross Rd-4								
	Ch: 0.00m to 15.00m	1	15.00	4.10 + 3.40 2	0.04	2.25			
	Ch: 15.00m to 30.00m	1	15.00	3.40 + 3.35 2	0.04	2.03			
	Ch: 30.00m to 45.00m	1	15.00	3.35 + 4.50 2	0.04	2.36			
	Ch: 45.00m to 48.70m	1	3.70	4.50 + 4.50 2	0.04	0.67			
	Ch: 48.70m to 51.40m	1	2.70	3.50 + 3.50 2	0.04	0.38			
	Cross Rd-5								
	Ch: 0.00m to 15.00m	1	15.00	4.50 + 3.80 2	0.04	2.49			
	Ch: 15.00m to 30.00m	1	15.00	3.80 + 4.20 2	0.04	2.40			
	Ch: 30.00m to 45.00m	1	15.00	4.20 + 3.60 2	0.04	2.34			
	Ch: 45.00m to 53.00m	1	8.00	3.60 + 3.40 2	0.04	1.12			
	Cross Rd-6								
	Ch: 0.00m to 15.00m	1	15.00	3.70 + 4.05 2	0.04	2.33			
	Ch: 15.00m to 30.00m	1	15.00	4.05 + 3.80 2	0.04	2.36			
	Ch: 30.00m to 45.00m	1	15.00	3.80 + 4.00 2	0.04	2.34			
	Ch: 45.00m to 60.00m	1	15.00	4.00 + 4.35 2	0.04	2.51			
	Ch: 60.00m to 75.00m	1	15.00	4.35 + 4.55 2	0.04	2.67			
	Ch: 75.00m to 81.70m	1	6.70	4.55 + 4.50 2	0.04	1.21			
	Cross Rd-7								
	Ch: 0.00m to 15.00m	1	15.00	4.70 + 4.20 2	0.04	2.67			
	Ch: 15.00m to 30.00m	1	15.00	4.20 + 5.15 2	0.04	2.81			
	Ch: 30.00m to 47.70m	1	17.70	5.15 + 5.00 2	0.04	2.58			


Contractor  Consultant 


Asst. Engineer 

Asst. Exec. Engineer 
 Sd/- 
 Sd/- 
 Sd/- 

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 30.00m to 42.70m	1	12.70	2	0.04	2.58			
	Acchi Store Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.70 + 4.30 2	0.04	2.70			
	Ch: 15.00m to 30.00m	1	15.00	4.30 + 4.50 2	0.04	2.64			
	Ch: 30.00m to 45.00m	1	15.00	4.50 + 3.90 2	0.04	2.52			
	Ch: 45.00m to 60.00m	1	15.00	3.90 + 4.60 2	0.04	2.55			
	Ch: 60.00m to 75.00m	1	15.00	4.60 + 4.40 2	0.04	2.70			
	Ch: 75.00m to 90.00m	1	15.00	4.40 + 4.60 2	0.04	2.70			
	Ch: 90.00m to 105.00m	1	15.00	4.60 + 4.00 2	0.04	2.58			
	Ch: 105.00m to 120.00m	1	15.00	4.00 + 3.70 2	0.04	2.31			
	Ch: 120.00m to 135.00m	1	15.00	3.70 + 4.20 2	0.04	2.37			
	Ch: 135.00m to 138.60m	1	3.60	4.20 + 4.25 2	0.04	0.61			
	Kuvempu Nagara 2nd Stage								
	Thetar Gate Opposite Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.30 + 4.40 2	0.04	2.61			
	Ch: 15.00m to 30.00m	1	15.00	4.40 + 4.70 2	0.04	2.73			
	Ch: 30.00m to 45.00m	1	15.00	4.70 + 4.60 2	0.04	2.79			
	Ch: 45.00m to 60.00m	1	15.00	4.60 + 4.10 2	0.04	2.61			
	Ch: 60.00m to 73.50m	1	13.50	4.10 + 5.00 2	0.04	2.46			
	Varadharaju Nagara								
	1st Cross Rd Left Side								
	Ch: 0.00m to 15.00m	1	15.00	6.30 + 5.60 2	0.04	3.57			
	Ch: 15.00m to 30.00m	1	15.00	5.60 + 4.55 2	0.04	3.05			
	Ch: 30.00m to 45.00m	1	15.00	4.55 + 4.30 2	0.04	2.66			
	Ch: 45.00m to 60.00m	1	15.00	4.30 + 4.30 2	0.04	2.58			

Contractor  Consultant 

 Asst. Engineer

 Asst. Exec. Engineer
 ಮುಖ್ಯ ಮಂತ್ರಿ
 ಮಂತ್ರಿಗಳ ಕಛೇರಿ
 ಬೆಂಗಳೂರು, ಕರ್ನಾಟಕ-56

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 60.00m to 61.00m	1	1.00	$\frac{4.30 + 4.30}{2}$	0.04	0.17			
	1st Cross Rd Right Side								
	Ch: 0.00m to 15.00m	1	15.00	$\frac{4.35 + 5.30}{2}$	0.04	2.90			
	Ch: 15.00m to 30.00m	1	15.00	$\frac{5.30 + 5.40}{2}$	0.04	3.21			
	Ch: 30.00m to 35.50m	1	5.50	$\frac{5.40 + 5.20}{2}$	0.04	1.17			
	2nd Cross Rd Left Side								
	Ch: 0.00m to 15.00m	1	15.00	$\frac{5.90 + 4.40}{2}$	0.04	3.09			
	Ch: 15.00m to 30.00m	1	15.00	$\frac{4.40 + 4.80}{2}$	0.04	2.76			
	Ch: 30.00m to 45.00m	1	15.00	$\frac{4.80 + 4.80}{2}$	0.04	2.88			
	Ch: 45.00m to 60.00m	1	15.00	$\frac{4.80 + 3.90}{2}$	0.04	2.61			
	Ch: 60.00m to 63.60m	1	3.60	$\frac{3.90 + 3.90}{2}$	0.04	0.56			
	2nd Cross Rd Right Side								
	Ch: 0.00m to 15.00m	1	15.00	$\frac{4.40 + 4.20}{2}$	0.04	2.58			
	Ch: 15.00m to 22.60m	1	7.60	$\frac{4.20 + 4.20}{2}$	0.04	1.28			
	3rd Cross Rd Left Side								
	Ch: 0.00m to 15.00m	1	15.00	$\frac{5.10 + 5.25}{2}$	0.04	3.11			
	Ch: 15.00m to 30.00m	1	15.00	$\frac{5.25 + 5.10}{2}$	0.04	3.11			
	Ch: 30.00m to 45.00m	1	15.00	$\frac{5.10 + 4.00}{2}$	0.04	2.73			
	Ch: 45.00m to 60.00m	1	15.00	$\frac{4.00 + 4.20}{2}$	0.04	2.46			
	Ch: 60.00m to 66.00m	1	6.00	$\frac{4.20 + 4.30}{2}$	0.04	1.02			
	3rd Cross Rd Right Side								
	Ch: 0.00m to 15.00m	1	15.00	$\frac{5.00 + 4.80}{2}$	0.04	2.94			
	Ch: 15.00m to 21.00m	1	6.00	$\frac{4.80 + 4.90}{2}$	0.04	1.16			
	4th Cross Rd Left Side								
	Ch: 0.00m to 15.00m	1	15.00	$\frac{4.90 + 3.80}{2}$	0.04	2.61			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 
 Asst. Exec. Engineer
 02.02.2024, Dated: 97

G. P. ...

Contractor Consultant

HILLIS CONSULTANTS

Asst. Exec. Engineer

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 15.00m to 30.00m	1	15.00	5.15 + 5.10 2	0.04	3.08			
	Ch: 30.00m to 45.00m	1	15.00	5.10 + 6.00 2	0.04	3.33			
	Ch: 45.00m to 60.00m	1	15.00	6.00 + 5.70 2	0.04	3.51			
	Ch: 60.00m to 75.00m	1	15.00	5.70 + 5.60 2	0.04	3.39			
	Ch: 75.00m to 82.80m	1	7.80	5.60 + 5.50 2	0.04	1.73			
	2nd A Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	5.20 + 5.80 2	0.04	3.30			
	Ch: 15.00m to 30.00m	1	15.00	5.80 + 5.30 2	0.04	3.33			
	Ch: 30.00m to 45.00m	1	15.00	5.30 + 5.20 2	0.04	3.15			
	Ch: 45.00m to 60.00m	1	15.00	5.20 + 4.70 2	0.04	2.97			
	Ch: 60.00m to 75.00m	1	15.00	4.70 + 5.45 2	0.04	3.05			
	Ch: 75.00m to 84.00m	1	9.00	5.45 + 5.60 2	0.04	1.99			
	1st A Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.70 + 6.20 2	0.04	3.27			
	Ch: 15.00m to 30.00m	1	15.00	6.20 + 4.70 2	0.04	3.27			
	Ch: 30.00m to 45.00m	1	15.00	4.70 + 4.90 2	0.04	2.88			
	Ch: 45.00m to 60.00m	1	15.00	4.90 + 4.25 2	0.04	2.75			
	Ch: 60.00m to 71.00m	1	11.00	4.25 + 4.30 2	0.04	1.88			
	5th Cross Rd Right Side								
	Ch: 0.00m to 15.00m	1	15.00	4.70 + 5.10 2	0.04	2.94			
	Ch: 15.00m to 30.00m	1	15.00	5.10 + 4.65 2	0.04	2.93			
	Ch: 30.00m to 45.00m	1	15.00	4.65 + 4.30 2	0.04	2.69			
	Ch: 45.00m to 50.00m	1	5.00	4.30 + 5.30 2	0.04	0.96			
	Continued								

Contractor

Consultant

Asst. Engineer

Asst. Exec. Engineer

22.00.00, 20/05/2023-27

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 0.00m to 15.00m	1	15.00	4.40 + 4.40 2	0.04	2.64			
	Ch: 15.00m to 30.00m	1	15.00	4.40 + 4.10 2	0.04	2.55			
	Ch: 30.00m to 45.00m	1	15.00	4.10 + 4.35 2	0.04	2.54			
	Ch: 45.00m to 60.00m	1	15.00	4.35 + 4.60 2	0.04	2.69			
	Ch: 60.00m to 75.00m	1	15.00	4.60 + 4.40 2	0.04	2.70			
	Ch: 75.00m to 90.00m	1	15.00	4.40 + 4.30 2	0.04	2.61			
	Ch: 90.00m to 105.00m	1	15.00	4.30 + 4.25 2	0.04	2.57			
	Ch: 105.00m to 120.00m	1	15.00	4.25 + 4.30 2	0.04	2.57			
	Ch: 120.00m to 135.00m	1	15.00	4.30 + 4.80 2	0.04	2.73			
	Ch: 135.00m to 150.00m	1	15.00	4.80 + 3.90 2	0.04	2.61			
	Ch: 150.00m to 162.00m	1	12.00	3.90 + 4.50 2	0.04	2.02			
	Ch: 162.00m to 163.20m Culvert Gap		1.20						
	Ch: 163.20m to 175.00m	1	11.80	5.40 + 5.60 2	0.04	2.60			
	Ch: 175.00m to 187.00m	1	12.00	5.60 + 4.50 2	0.04	2.42			
	1st Cross A Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	5.30 + 5.20 2	0.04	3.15			
	Ch: 15.00m to 18.00m	1	3.00	5.20 + 5.30 2	0.04	0.63			
	Axis Bank Opposite Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.80 + 4.30 2	0.04	2.73			
	Ch: 15.00m to 30.00m	1	15.00	4.30 + 5.00 2	0.04	2.79			
	Ch: 30.00m to 45.00m	1	15.00	5.00 + 5.00 2	0.04	3.00			
	Ch: 45.00m to 60.00m	1	15.00	5.00 + 5.10 2	0.04	3.03			
	Ch: 60.00m to 75.00m	1	15.00	5.10 + 5.25 2	0.04	3.11			

Contractor  Consultant 

 Asst. Engineer


 Asst. Engineer

Handwritten notes and stamps at the bottom right, including a date stamp "20.02.2020" and other illegible text.

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 75.00m to 90.00m	1	15.00	5.25 + 5.00 2	0.04	3.08			
	Ch: 90.00m to 105.00m	1	15.00	5.00 + 4.80 2	0.04	2.94			
	Ch: 105.00m to 120.00m	1	15.00	4.80 + 4.90 2	0.04	2.91			
	Ch: 120.00m to 135.00m	1	15.00	4.90 + 4.95 2	0.04	2.96			
	Ch: 135.00m to 150.00m	1	15.00	4.95 + 5.10 2	0.04	3.02			
	Ch: 150.00m to 152.50m	1	2.50	5.10 + 5.00 2	0.04	0.51			
	Singapura Garden								
	4th D Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	5.20 + 5.15 2	0.04	3.11			
	Ch: 15.00m to 30.00m	1	15.00	5.15 + 4.70 2	0.04	2.96			
	Ch: 30.00m to 45.00m	1	15.00	4.70 + 5.00 2	0.04	2.91			
	Ch: 45.00m to 60.00m	1	15.00	5.00 + 4.25 2	0.04	2.78			
	Ch: 60.00m to 75.00m	1	15.00	4.25 + 4.70 2	0.04	2.69			
	Ch: 75.00m to 90.00m	1	15.00	4.70 + 4.70 2	0.04	2.82			
	Ch: 90.00m to 105.00m	1	15.00	4.70 + 4.95 2	0.04	2.90			
	Ch: 105.00m to 119.70m	1	14.70	4.95 + 6.10 2	0.04	3.25			
	Vasbalanagara								
	5th Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.90 + 4.55 2	0.04	2.84			
	Ch: 15.00m to 30.00m	1	15.00	4.55 + 4.65 2	0.04	2.76			
	Ch: 30.00m to 45.00m	1	15.00	4.65 + 4.10 2	0.04	2.63			
	Ch: 45.00m to 60.00m	1	15.00	4.10 + 6.30 2	0.04	3.12			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 

 22.02.2024, Dated-27


Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 60.00m to 75.00m	1	15.00	6.30 + 6.70 2	0.04	3.90			
	Ch: 75.00m to 90.00m	1	15.00	6.70 + 7.00 2	0.04	4.11			
	Ch: 90.00m to 105.00m	1	15.00	7.00 + 6.50 2	0.04	4.05			
	Ch: 105.00m to 120.00m	1	15.00	6.50 + 6.20 2	0.04	3.81			
	Ch: 120.00m to 135.00m	1	15.00	6.20 + 6.85 2	0.04	3.92			
	Ch: 135.00m to 144.00m	1	9.00	6.85 + 6.60 2	0.04	2.42			
Thirumala Store Rd									
	Ch: 0.00m to 15.00m	1	15.00	5.60 + 5.45 2	0.04	3.32			
	Ch: 15.00m to 30.00m	1	15.00	5.45 + 5.45 2	0.04	3.27			
	Ch: 30.00m to 45.00m	1	15.00	5.45 + 5.40 2	0.04	3.26			
	Ch: 45.00m to 60.00m	1	15.00	5.40 + 4.10 2	0.04	2.85			
	Ch: 60.00m to 75.00m	1	15.00	4.10 + 3.70 2	0.04	2.34			
	Ch: 75.00m to 86.00m	1	11.00	3.70 + 4.40 2	0.04	1.78			
3rd Main 5th Cross Rd									
	Ch: 0.00m to 15.00m	1	15.00	5.80 + 5.50 2	0.04	3.39			
	Ch: 15.00m to 30.00m	1	15.00	5.50 + 4.40 2	0.04	2.97			
	Ch: 30.00m to 45.00m	1	15.00	4.40 + 4.40 2	0.04	2.64			
	Ch: 45.00m to 60.00m	1	15.00	4.40 + 4.50 2	0.04	2.67			
	Ch: 60.00m to 75.00m	1	15.00	4.50 + 4.75 2	0.04	2.78			
	Ch: 75.00m to 90.00m	1	15.00	4.75 + 4.70 2	0.04	2.84			
	Ch: 90.00m to 105.00m	1	15.00	4.70 + 5.20 2	0.04	2.97			
	Ch: 105.00m to 120.00m	1	15.00	5.20 + 5.15 2	0.04	3.11			




Asst. Engineer

Asst. Exec. Engineer
 2.2.2022, Dated-97

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 120.00m to 135.00m	1	15.00	5.15 + 5.40 2	0.04	3.17			
	Ch: 135.00m to 150.00m	1	15.00	5.40 + 6.40 2	0.04	3.54			
	Ch: 150.00m to 165.00m	1	15.00	6.40 + 6.95 2	0.04	4.01			
	Ch: 165.00m to 180.00m	1	15.00	6.95 + 6.20 2	0.04	3.95			
	Ch: 180.00m to 195.00m	1	15.00	6.20 + 6.00 2	0.04	3.66			
	Ch: 195.00m to 210.00m	1	15.00	6.00 + 6.50 2	0.04	3.75			
	Ch: 210.00m to 225.00m	1	15.00	6.50 + 6.45 2	0.04	3.89			
	Ch: 225.00m to 240.00m	1	15.00	6.45 + 6.20 2	0.04	3.80			
	Ch: 240.00m to 255.00m	1	15.00	6.20 + 6.60 2	0.04	3.84			
	Ch: 255.00m to 270.00m	1	15.00	6.60 + 7.40 2	0.04	4.20			
	Ch: 270.00m to 285.00m	1	15.00	7.40 + 6.95 2	0.04	4.31			
	Ch: 285.00m to 300.00m	1	15.00	6.95 + 8.15 2	0.04	4.53			
	Ch: 300.00m to 315.00m	1	15.00	8.15 + 7.65 2	0.04	4.74			
	Ch: 315.00m to 330.00m	1	15.00	7.65 + 8.35 2	0.04	4.80			
	Ch: 330.00m to 345.00m	1	15.00	8.35 + 8.15 2	0.04	4.95			
	Ch: 345.00m to 360.00m	1	15.00	8.15 + 8.65 2	0.04	5.04			
	Ch: 360.00m to 375.00m	1	15.00	8.65 + 9.60 2	0.04	5.48			
	Ch: 375.00m to 390.00m	1	15.00	9.60 + 9.55 2	0.04	5.75			
	Ch: 390.00m to 405.00m	1	15.00	9.55 + 9.15 2	0.04	5.61			
	Ch: 405.00m to 420.00m	1	15.00	9.15 + 8.55 2	0.04	5.31			
	Ch: 420.00m to 435.00m	1	15.00	8.55 + 9.30 2	0.04	5.36			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 
 Approved and signed
 M.M.S.A., Dated-27

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 435.00m to 450.00m	1	15.00	9.30 + 8.40 2	0.04	5.31			
	Ch: 450.00m to 465.00m	1	15.00	8.40 + 7.40 2	0.04	4.74			
	Ch: 465.00m to 480.00m	1	15.00	7.40 + 5.10 2	0.04	3.75			
	Ch: 480.00m to 495.00m	1	15.00	5.10 + 5.60 2	0.04	3.21			
	Ch: 495.00m to 510.00m	1	15.00	5.60 + 6.65 2	0.04	3.68	dr		
	Ch: 510.00m to 525.00m	1	15.00	6.65 + 6.50 2	0.04	3.95			
	Ch: 525.00m to 537.50m	1	12.50	6.50 + 8.30 2	0.04	3.70			
	Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	3.10 + 4.10 2	0.04	2.16			
	Ch: 15.00m to 30.00m	1	15.00	4.10 + 5.10 2	0.04	2.76			
	Ch: 30.00m to 45.00m	1	15.00	5.10 + 5.00 2	0.04	3.03			
	Ch: 45.00m to 53.60m	1	8.60	5.00 + 5.00 2	0.04	1.72			
	Ch: 53.60m to 65.00m	1	11.40	6.00 + 6.30 2	0.04	2.80			
	Ch: 65.00m to 80.00m	1	15.00	6.30 + 7.15 2	0.04	4.04			
	Ch: 80.00m to 95.00m	1	15.00	7.15 + 7.10 2	0.04	4.28	2		
	Ch: 95.00m to 110.00m	1	15.00	7.10 + 8.90 2	0.04	4.80			
	Ch: 110.00m to 121.00m	1	11.00	8.90 + 8.40 2	0.04	3.81			
	Continued Infront of Ground								
	Ch: 121.00m to 136.00m	1	15.00	7.70 + 7.55 2	0.04	4.58			
	Ch: 136.00m to 151.00m	1	15.00	7.55 + 8.80 2	0.04	4.91			
	Ch: 151.00m to 166.00m	1	15.00	8.80 + 8.45 2	0.04	5.18	2		
	Ch: 166.00m to 181.00m	1	15.00	8.45 + 7.50 2	0.04	4.79			





[Signature]
Asst. Engineer

[Signature]
Asst. Exec. Engineer
[Stamp]
[Text]

Item No	Discription of Item	No	Length	Breadth			Depth	Qty	Unit	Rate	Amount
	Ch: 181.00m to 194.50m	1	13.50	7.50	+	7.65	0.04	4.09			
				2							
	Total Qty							1707.95	Cum	12253.37	20928124.91

7

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 
 Asst. Exec. Engineer
 S.A.A.A., Sordobah-97

Name of Work:Package No.05 (Consists of 3 Works)

Detailed Measurements

Date of Measurements 13-02-2023, 17-02-2023, 20-02-2023

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
17	Road Marking with Hot Applied Thermoplastic Compound with Re flectorising Glass Beads on Bituminous Surface Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 g/ m2 area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35:2015.The finished surface to be level, uniform and free from streaks and holes								
	Asphalt Road								
	Singapura Paradies								
	6th Main Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 120.00m	2	15.00	0.10		3.00			
	Ch: 120.00m to 126.00m	2	6.00	0.10		1.20			
	Ch: 126.00m to 127.20m								
	Culvert Gap								
	Ch: 127.20m to 142.20m	2	15.00	0.10		3.00			
	Ch: 142.20m to 147.70m	2	5.50	0.10		1.10			
	5th Main Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 120.00m	2	15.00	0.10		3.00			
	Ch: 120.00m to 137.10m	2	17.10	0.10		3.42			
	4th Min Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			


Contractor

Consultant

Asst.Engineer


Asst.Exec.Engineer

Ambedkar Engineering College
Ambedkar Engineering College
Ambedkar Engineering College


Contractor  Consultant 

Asst. Exec. Engineer


Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 115.50m	2	10.50	0.10		2.10			
	Main Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 120.00m	2	15.00	0.10		3.00			
	Ch: 120.00m to 135.00m	2	15.00	0.10		3.00			
	Ch: 135.00m to 150.00m	2	15.00	0.10		3.00			
	Ch: 150.00m to 165.00m	2	15.00	0.10		3.00			
	Ch: 165.00m to 180.00m	2	15.00	0.10		3.00			
	Ch: 180.00m to 195.00m	2	15.00	0.10		3.00			
	Ch: 195.00m to 210.00m	2	15.00	0.10		3.00			
	Ch: 210.00m to 225.00m	2	15.00	0.10		3.00			
	Ch: 225.00m to 240.00m	2	15.00	0.10		3.00			
	Ch: 240.00m to 255.00m	2	15.00	0.10		3.00			
	Ch: 255.00m to 270.00m	2	15.00	0.10		3.00			
	Ch: 270.00m to 285.00m	2	15.00	0.10		3.00			
	Ch: 285.00m to 300.00m	2	15.00	0.10		3.00			
	Ch: 300.00m to 315.00m	2	15.00	0.10		3.00			
	Ch: 315.00m to 330.00m	2	15.00	0.10		3.00			
	Ch: 330.00m to 336.50m	2	6.50	0.10		1.30			
	7th Main Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 55.40m	2	10.40	0.10		2.08			
	6th Main Rd Right Side Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 46.20m	2	1.20	0.10		0.24			
	6th Main Rd Left Side Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			


Contractor  Consultant 


Asst. Engineer  203

Asst. Exec. Engineer 
 2020.04.01, 2020.04.01
 2020.04.01, 2020.04.01

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 45.00m to 47.00m	2	2.00	0.10		0.40			
	5th Main Rd Left Side Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 36.30m	2	6.30	0.10		1.26			
	5th Main Rd Right Side Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 47.50m	2	2.50	0.10		0.50			
	4th Main Rd Right Side Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 48.90m	2	3.90	0.10		0.78			
	2nd Main Rd Right Side Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 48.90m	2	3.90	0.10		0.78			
	Balaji Layout								
	2nd Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 89.30m	2	14.30	0.10		2.86			
	3rd Cross Rd Left Side Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 76.60m	2	1.60	0.10		0.32			
	3rd Cross Rd Right Side Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 75.20m	2	0.20	0.10		0.04			
	4th Cross Rd Right Side Rd								
	Ch: 0.00m to 12.10m	2	12.10	0.10		2.42			


Contractor  Consultant 


Asst. Engineer 

Asst. Exec. Engineer 
 Sd/- 
 02.02.2023, Dindur-97

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 12.10m to 15.90m	2	3.80	0.10		0.76			
	Ch: 15.90m to 18.50m	2	2.60	0.10		0.52	2		
	Ch: 18.50m to 24.70m	2	6.20	0.10		1.24			
	4th Cross Rd Left Side Rd								
	Ch: 0.00m to 10.50m	2	10.50	0.10		2.10			
	Ch: 10.50m to 25.50m	2	15.00	0.10		3.00			
	Ch: 25.50m to 29.20m	2	3.70	0.10		0.74			
	Ch: 29.20m to 38.00m	2	8.80	0.10		1.76	2		
	Ch: 38.00m to 53.00m	2	15.00	0.10		3.00			
	Ch: 53.00m to 63.70m	2	10.70	0.10		2.14			
	Main Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00	2		
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 120.00m	2	15.00	0.10		3.00			
	Ch: 120.00m to 123.50m	2	3.50	0.10		0.70			
	Singapura Layout								
	1st Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00	2		
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 70.80m	2	10.80	0.10		2.16			
	2nd Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00	2		
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 120.00m	2	15.00	0.10		3.00			
	Ch: 120.00m to 121.30m	2	1.30	0.10		0.26			
	3rd Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 32.00m	2	2.00	0.10		0.40			
	Ch: 32.00m to 47.00m	2	15.00	0.10		3.00	2		
	Ch: 47.00m to 62.00m	2	15.00	0.10		3.00			
	Ch: 62.00m to 77.00m	2	15.00	0.10		3.00			

Contractor  Consultant 


Asst. Engineer 

Asst. Exec. Engineer 
 Attached herewith for approval
 S.A.O.C.A., Northch-97

Contractor *G. V. ...* Consultant *[Signature]*

Asst. Exec. Engineer
Complicated and Super
D.D.C.C., Dordrecht 07

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 62.20m	2	2.20	0.10		0.44			
	Continued								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 120.00m	2	15.00	0.10		3.00			
	Ch: 120.00m to 135.00m	2	15.00	0.10		3.00			
	Ch: 135.00m to 150.00m	2	15.00	0.10		3.00			
	Ch: 150.00m to 165.00m	2	15.00	0.10		3.00			
	Ch: 165.00m to 180.00m	2	15.00	0.10		3.00			
	Ch: 180.00m to 195.00m	2	15.00	0.10		3.00			
	Ch: 195.00m to 210.00m	2	15.00	0.10		3.00			
	Ch: 210.00m to 218.90m	2	8.90	0.10		1.78			
	Cross Rd-1								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 34.70m	2	4.70	0.10		0.94			
	5th A Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 96.00m	2	6.00	0.10		1.20			
	Patanjali Shop Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 120.00m	2	15.00	0.10		3.00			
	Ch: 120.00m to 135.00m	2	15.00	0.10		3.00			
	Ch: 135.00m to 144.40m	2	9.40	0.10		1.88			
	Cross Rd-6								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			

Contractor  Consultant 


Asst. Engineer 

Asst. Exec. Engineer 
 Asst. Exec. Engineer
 Asst. Exec. Engineer
 Asst. Exec. Engineer


Contractor  Consultant 

Asst. Exec. Engineer

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 210.00m to 225.00m	2	15.00	0.10		3.00			
	Ch: 225.00m to 240.00m	2	15.00	0.10		3.00			
	Ch: 240.00m to 255.00m	2	15.00	0.10		3.00			
	Ch: 255.00m to 270.00m	2	15.00	0.10		3.00			
	Ch: 270.00m to 285.00m	2	15.00	0.10		3.00			
	Ch: 285.00m to 300.00m	2	15.00	0.10		3.00			
	Ch: 300.00m to 315.00m	2	15.00	0.10		3.00			
	Ch: 315.00m to 330.00m	2	15.00	0.10		3.00			
	Ch: 330.00m to 345.00m	2	15.00	0.10		3.00			
	Ch: 345.00m to 360.00m	2	15.00	0.10		3.00			
	Ch: 360.00m to 375.00m	2	15.00	0.10		3.00			
	Ch: 375.00m to 390.00m	2	15.00	0.10		3.00			
	Ch: 390.00m to 395.30m	2	5.30	0.10		1.06			
	Cross Rd-7								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 27.30m	2	12.30	0.10		2.46			
	1st Main Rd from end								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 120.00m	2	15.00	0.10		3.00			
	Ch: 120.00m to 135.00m	2	15.00	0.10		3.00			
	Ch: 135.00m to 150.00m	2	15.00	0.10		3.00			
	Ch: 150.00m to 165.00m	2	15.00	0.10		3.00			
	Ch: 165.00m to 180.00m	2	15.00	0.10		3.00			
	Ch: 180.00m to 195.00m	2	15.00	0.10		3.00			
	Ch: 195.00m to 210.00m	2	15.00	0.10		3.00			
	Ch: 210.00m to 225.00m	2	15.00	0.10		3.00			
	Ch: 225.00m to 240.00m	2	15.00	0.10		3.00			
	Ch: 240.00m to 255.00m	2	15.00	0.10		3.00			
	Ch: 255.00m to 270.00m	2	15.00	0.10		3.00			
	Ch: 270.00m to 275.00m	2	5.00	0.10		1.00			
	Continued								
	Ch: 275.00m to 290.00m	2	15.00	0.10		3.00			
	Ch: 290.00m to 305.00m	2	15.00	0.10		3.00			
	Ch: 305.00m to 320.00m	2	15.00	0.10		3.00			
	Ch: 320.00m to 335.00m	2	15.00	0.10		3.00			
	Ch: 335.00m to 350.00m	2	15.00	0.10		3.00			
	Ch: 350.00m to 365.00m	2	15.00	0.10		3.00			
	Ch: 365.00m to 380.00m	2	15.00	0.10		3.00			

Contractor  Consultant 

Asst. Engineer  203

Asst. Exec. Engineer 
 Asst. Engineer
 0.0.0.0.0, 0.0.0.0.0-97

G. P. J. V. S.

Contractor

Consultant




Asst.Exec.Engineer


Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 120.00m to 135.00m	2	15.00	0.10		3.00			
	Ch: 135.00m to 150.00m	2	15.00	0.10		3.00			
	Ch: 150.00m to 165.00m	2	15.00	0.10		3.00			
	Ch: 165.00m to 180.00m	2	15.00	0.10		3.00			
	Ch: 180.00m to 195.00m	2	15.00	0.10		3.00			
	Ch: 195.00m to 208.00m	2	13.00	0.10		2.60			
	1st Main Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 112.00m	2	7.00	0.10		1.40			
	Cross Rd-1								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 35.30m	2	5.30	0.10		1.06			
	Cross Rd-2								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 50.00m	2	5.00	0.10		1.00			
	Cross Rd-3								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 37.00m	2	7.00	0.10		1.40			
	Cross Rd-4								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 48.70m	2	3.70	0.10		0.74			
	Ch: 48.70m to 51.40m	2	2.70	0.10		0.54			
	Cross Rd-5								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 53.00m	2	8.00	0.10		1.60			
	Cross Rd-6								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 

 02.02.2024, 10:00:00 AM

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00	cf		
	Ch: 75.00m to 81.70m	2	6.70	0.10		1.34			
	Cross Rd-7								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00	cf		
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 42.70m	2	12.70	0.10		2.54			
	Acchi Store Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00	cf		
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 120.00m	2	15.00	0.10		3.00			
	Ch: 120.00m to 135.00m	2	15.00	0.10		3.00			
	Ch: 135.00m to 138.60m	2	3.60	0.10		0.72			
	Kuvempu Nagara 2nd Stage								
	Thetar Gate Opposite Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00	cf		
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 73.50m	2	13.50	0.10		2.70			
	Varadharaju Nagara								
	1st Cross Rd Left Side								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00	cf		
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 61.00m	2	1.00	0.10		0.20			
	1st Cross Rd Right Side								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00	cf		
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 35.50m	2	5.50	0.10		1.10			
	2nd Cross Rd Left Side								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00	cf		
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 63.60m	2	3.60	0.10		0.72			
	2nd Cross Rd Right Side								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00	cf		
	Ch: 15.00m to 22.60m	2	7.60	0.10		1.52			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 
 ಸಹಾಯಕ ನಿರ್ದೇಶಕರು
 ಸಾರ್ವಜನಿಕ ಕಾರ್ಯದ ಇಲಾಖೆ
 ಬಿ.ಬಿ.ಸಿ.ಸಿ., ದಾವಣಗೆರೆ-97

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	3rd Cross Rd Left Side								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 66.00m	2	6.00	0.10		1.20			
	3rd Cross Rd Right Side								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 21.00m	2	6.00	0.10		1.20			
	4th Cross Rd Left Side								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 65.50m	2	5.50	0.10		1.10			
	6th A Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 78.00m	2	3.00	0.10		0.60			
	4th A Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 81.00m	2	6.00	0.10		1.20			
	3rd A Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 82.80m	2	7.80	0.10		1.56			
	2nd A Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 84.00m	2	9.00	0.10		1.80			
	1st A Cross Rd								

Contractor

Consultant

Asst.Engineer

Asst.Exec.Engineer

आवृत्ति नमूना नमूना
आवृत्ति नमूना नमूना
आवृत्ति नमूना नमूना

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 71.00m	2	11.00	0.10		2.20			
	5th Cross Rd Right Side								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 50.00m	2	5.00	0.10		1.00			
	Continued								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 120.00m	2	15.00	0.10		3.00			
	Ch: 120.00m to 135.00m	2	15.00	0.10		3.00			
	Ch: 135.00m to 150.00m	2	15.00	0.10		3.00			
	Ch: 150.00m to 162.00m	2	12.00	0.10		2.40			
	Ch: 162.00m to 163.20m Culvert Gap		1.20						
	Ch: 163.20m to 175.00m	2	11.80	0.10		2.36			
	Ch: 175.00m to 188.00m	2	13.00	0.10		2.60			
	1st Cross A Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 18.00m	2	3.00	0.10		0.60			
	Axis Bank Opposite Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 60.00m	2	15.00	0.10		3.00			
	Ch: 60.00m to 75.00m	2	15.00	0.10		3.00			
	Ch: 75.00m to 90.00m	2	15.00	0.10		3.00			
	Ch: 90.00m to 105.00m	2	15.00	0.10		3.00			
	Ch: 105.00m to 120.00m	2	15.00	0.10		3.00			
	Ch: 120.00m to 135.00m	2	15.00	0.10		3.00			
	Ch: 135.00m to 150.00m	2	15.00	0.10		3.00			
	Ch: 150.00m to 152.50m	2	2.50	0.10		0.50			
	Singapura Garden								
	4th D Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			

Contractor


Consultant

Asst.Engineer

Asst.Exec.Engineer

Amal Mohamed Sathya
Asst.Executive Engineer
02.00.2, North-97

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 255.00m to 270.00m	2	15.00	0.10		3.00			
	Ch: 270.00m to 285.00m	2	15.00	0.10		3.00			
	Ch: 285.00m to 300.00m	2	15.00	0.10		3.00			
	Ch: 300.00m to 315.00m	2	15.00	0.10		3.00			
	Ch: 315.00m to 330.00m	2	15.00	0.10		3.00			
	Ch: 330.00m to 345.00m	2	15.00	0.10		3.00			
	Ch: 345.00m to 360.00m	2	15.00	0.10		3.00			
	Ch: 360.00m to 375.00m	2	15.00	0.10		3.00			
	Ch: 375.00m to 390.00m	2	15.00	0.10		3.00			
	Ch: 390.00m to 405.00m	2	15.00	0.10		3.00			
	Ch: 405.00m to 420.00m	2	15.00	0.10		3.00			
	Ch: 420.00m to 435.00m	2	15.00	0.10		3.00			
	Ch: 435.00m to 450.00m	2	15.00	0.10		3.00			
	Ch: 450.00m to 465.00m	2	15.00	0.10		3.00			
	Ch: 465.00m to 480.00m	2	15.00	0.10		3.00			
	Ch: 480.00m to 495.00m	2	15.00	0.10		3.00			
	Ch: 495.00m to 510.00m	2	15.00	0.10		3.00			
	Ch: 510.00m to 525.00m	2	15.00	0.10		3.00			
	Ch: 525.00m to 538.50m	2	13.50	0.10		2.70			
	Cross Rd								
	Ch: 0.00m to 15.00m	2	15.00	0.10		3.00			
	Ch: 15.00m to 30.00m	2	15.00	0.10		3.00			
	Ch: 30.00m to 45.00m	2	15.00	0.10		3.00			
	Ch: 45.00m to 53.60m	2	8.60	0.10		1.72			
	Ch: 53.60m to 65.00m	2	11.40	0.10		2.28			
	Ch: 65.00m to 80.00m	2	15.00	0.10		3.00			
	Ch: 80.00m to 95.00m	2	15.00	0.10		3.00			
	Ch: 95.00m to 110.00m	2	15.00	0.10		3.00			
	Ch: 110.00m to 121.00m	2	11.00	0.10		2.20			
	Continued Infront of Ground								
	Ch: 121.00m to 136.00m	2	15.00	0.10		3.00			
	Ch: 136.00m to 151.00m	2	15.00	0.10		3.00			
	Ch: 151.00m to 166.00m	2	15.00	0.10		3.00			
	Ch: 166.00m to 181.00m	2	15.00	0.10		3.00			
	Ch: 181.00m to 194.50m	2	13.50	0.10		2.70			
Total Qty						1719.84	Sqm	551.98	949317.28

Contractor  Consultant 

Asst. Engineer  203


 Asst. Exec. Engineer
 02.02.2023, 10:00 AM, 07


Name of Work:Package No.05 (Consists of 3 Works)



Detailed Measurements

Date of Measurements 13-03-2023, 20-03-2023, 27-03-2023.

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
24	Providing and constructing un-reinforced plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with chavels rakes, compacted using								
	CC Road								
	Ramchandrapura								
	Devappa Layout								
	Main Rd								
	Ch: 0.00m to 15.00m	1	15.00	7.30 + 4.60 2	0.15	13.39			
	Ch: 15.00m to 30.00m	1	15.00	4.60 + 4.60 2	0.15	10.35			
	Ch: 30.00m to 45.00m	1	15.00	4.60 + 4.50 2	0.15	10.24			
	Ch: 45.00m to 60.00m	1	15.00	4.50 + 4.60 2	0.15	10.24			
	Ch: 60.00m to 75.00m	1	15.00	4.60 + 4.50 2	0.15	10.24			
	Ch: 75.00m to 90.00m	1	15.00	4.50 + 4.80 2	0.15	10.46			
	Ch: 90.00m to 105.00m	1	15.00	4.80 + 4.80 2	0.15	10.80			
	Ch: 105.00m to 120.00m	1	15.00	4.80 + 4.80 2	0.15	10.80			
	Ch: 120.00m to 135.00m	1	15.00	4.80 + 4.90 2	0.15	10.91			
	Ch: 135.00m to 150.00m	1	15.00	4.90 + 3.90 2	0.15	9.90			
	Ch: 150.00m to 165.00m	1	15.00	3.90 + 3.70 2	0.15	8.55			
	Ch: 165.00m to 178.10m	1	13.10	3.70 + 4.50 2	0.15	8.06			
	2nd Cross Rd								
	Ch: 0.00m to 15.00m	1	15.00	4.20 + 4.50 2	0.15	9.79			

Contractor  Consultant 

Asst.Engineer  203

Asst.Exec.Engineer 

 02.03.23, Dated-97

Item No	Discription of Item	No	Length	Breadth			Depth	Qty	Unit	Rate	Amount
	Ch: 15.00m to 30.00m	1	15.00	4.50	+	4.20	0.15	9.79			
				2							
	Ch: 30.00m to 45.00m	1	15.00	4.20	+	3.60	0.15	8.78			
				2							
	Ch: 45.00m to 60.00m	1	15.00	3.60	+	3.60	0.15	8.10			
				2							
	Ch: 60.00m to 75.00m	1	15.00	3.60	+	3.50	0.15	7.99			
				2							
	Ch: 75.00m to 90.00m	1	15.00	3.50	+	4.00	0.15	8.44			
				2							
	Ch: 90.00m to 105.00m	1	15.00	4.00	+	4.00	0.15	9.00			
				2							
	Ch: 105.00m to 120.00m	1	15.00	4.00	+	3.50	0.15	8.44			
				2							
	Ch: 120.00m to 126.40m	1	6.40	3.50	+	3.30	0.15	3.26			
				2							
	1st Cross Rd										
	Ch: 0.00m to 15.00m	1	15.00	3.70	+	4.00	0.15	8.66			
				2							
	Ch: 15.00m to 30.00m	1	15.00	4.00	+	4.30	0.15	9.34			
				2							
	Ch: 30.00m to 45.00m	1	15.00	4.30	+	4.20	0.15	9.56			
				2							
	Ch: 45.00m to 60.00m	1	15.00	4.20	+	4.00	0.15	9.23			
				2							
	Ch: 60.00m to 75.00m	1	15.00	4.00	+	3.80	0.15	8.78			
				2							
	Ch: 75.00m to 90.00m	1	15.00	3.80	+	3.70	0.15	8.44			
				2							
	Ch: 90.00m to 105.00m	1	15.00	3.70	+	4.00	0.15	8.66			
				2							
	Ch: 105.00m to 116.90m	1	11.90	4.00	+	3.20	0.15	6.43			
				2							
	Adishakthi Temple Rd										
	Ch: 0.00m to 15.00m	1	15.00	5.50	+	4.40	0.15	11.14			
				2							
	Ch: 15.00m to 30.00m	1	15.00	4.40	+	4.30	0.15	9.79			
				2							
	Ch: 30.00m to 45.00m	1	15.00	4.30	+	6.10	0.15	11.70			
				2							
	Ch: 45.00m to 60.00m	1	15.00	6.10	+	6.50	0.15	14.18			
				2							
	Ch: 60.00m to 75.00m	1	15.00	6.50	+	6.00	0.15	14.06			
				2							

Contractor

Consultant

Asst. Engineer

Asst. Exec. Engineer

2023
2023-24
2023-24

Item No	Discription of Item	No	Length	Breadth			Depth	Qty	Unit	Rate	Amount
	Ch: 75.00m to 90.00m	1	15.00	6.00	+	5.00	0.15	12.38			
				2							
	Ch: 90.00m to 101.00m	1	11.00	5.00	+	5.35	0.15	8.54			
				2							
	Munwshwara Temple Rd										
	Ch: 0.00m to 15.00m	1	15.00	3.70	+	3.50	0.15	8.10			
				2							
	Ch: 15.00m to 30.00m	1	15.00	3.50	+	3.10	0.15	7.43			
				2							
	Ch: 30.00m to 45.00m	1	15.00	3.10	+	3.90	0.15	7.88			
				2							
	Ch: 45.00m to 60.00m	1	15.00	3.90	+	4.10	0.15	9.00			
				2							
	Ch: 60.00m to 63.00m	1	3.00	4.10	+	4.00	0.15	1.82			
				2							
	Veckavathi House Rd										
	Ch: 0.00m to 15.00m	1	15.00	5.20	+	4.10	0.15	10.46			
				2							
	Ch: 15.00m to 30.00m	1	15.00	4.10	+	4.50	0.15	9.68			
				2							
	Ch: 30.00m to 45.00m	1	15.00	4.50	+	4.25	0.15	9.84			
				2							
	Ch: 45.00m to 60.00m	1	15.00	4.25	+	3.80	0.15	9.06			
				2							
	Ch: 60.00m to 75.00m	1	15.00	3.80	+	4.60	0.15	9.45			
				2							
	Ch: 75.00m to 90.00m	1	15.00	4.60	+	4.70	0.15	10.46			
				2							
	Ch: 90.00m to 105.00m	1	15.00	4.70	+	4.30	0.15	10.13			
				2							
	Ch: 105.00m to 120.00m	1	15.00	4.30	+	4.20	0.15	9.56			
				2							
	Ch: 120.00m to 135.00m	1	15.00	4.20	+	3.95	0.15	9.17			
				2							
	Ch: 135.00m to 150.00m	1	15.00	3.95	+	3.90	0.15	8.83			
				2							
	Ch: 150.00m to 165.00m	1	15.00	3.90	+	4.25	0.15	9.17			
				2							
	Ch: 165.00m to 180.00m	1	15.00	4.25	+	4.30	0.15	9.62			
				2							
	Ch: 180.00m to 193.90m	1	13.90	4.30	+	3.30	0.15	7.92			
				2							
	Nirmala House Rd										
	Ch: 0.00m to 15.00m	1	15.00	4.15	+	4.60	0.15	9.84			
				2							

Contractor

Consultant

Asst. Engineer

Asst. Exec. Engineer

2023-07-07

Item No	Discription of Item	No	Length	Breadth	Depth	Qty	Unit	Rate	Amount
	Ch: 15.00m to 30.00m	1	15.00	4.60 + 4.10 2	0.15	9.79			
	Ch: 30.00m to 45.00m	1	15.00	4.10 + 3.95 2	0.15	9.06	ck		
	Ch: 45.00m to 57.90m	1	12.90	3.95 + 3.70 2	0.15	7.40			
Antony's House Rd									
	Ch: 0.00m to 15.00m	1	15.00	4.40 + 4.20 2	0.15	9.68			
	Ch: 15.00m to 30.00m	1	15.00	4.20 + 4.20 2	0.15	9.45			
	Ch: 30.00m to 45.00m	1	15.00	4.20 + 3.80 2	0.15	9.00	Be		
	Ch: 45.00m to 58.00m	1	13.00	3.80 + 2.60 2	0.15	6.24			
Gangamma Temple Rd From end									
	Ch: 0.00m to 15.00m	1	15.00	3.10 + 3.45 2	0.15	7.37			
	Ch: 15.00m to 30.00m	1	15.00	3.45 + 3.30 2	0.15	7.59			
	Ch: 30.00m to 45.00m	1	15.00	3.30 + 3.10 2	0.15	7.20			
	Ch: 45.00m to 60.00m	1	15.00	3.10 + 3.40 2	0.15	7.31			
	Ch: 60.00m to 75.00m	1	15.00	3.40 + 3.30 2	0.15	7.54			
	Ch: 75.00m to 90.00m	1	15.00	3.30 + 3.70 2	0.15	7.88			
	Ch: 90.00m to 105.00m	1	15.00	3.70 + 4.00 2	0.15	8.66			
	Ch: 105.00m to 120.00m	1	15.00	4.00 + 3.80 2	0.15	8.78	Be		
	Ch: 120.00m to 135.00m	1	15.00	3.80 + 3.20 2	0.15	7.88			
	Ch: 135.00m to 150.00m	1	15.00	3.20 + 3.15 2	0.15	7.14			
	Ch: 150.00m to 165.00m	1	15.00	3.15 + 3.25 2	0.15	7.20			
	Ch: 165.00m to 180.00m	1	15.00	3.25 + 3.40 2	0.15	7.48			
	Ch: 180.00m to 195.00m	1	15.00	3.40 + 3.35 2	0.15	7.59			
	Ch: 195.00m to 210.00m	1	15.00	3.35 + 3.40 2	0.15	7.59			

Contractor  Consultant 

Asst. Engineer 

Asst. Exec. Engineer 
Assistant Executive Engineer
Vidyaranyapura Sub Division
B.B.M.P, Bangalore - 97

Item No	Discription of Item	No	Length	Breadth		Depth	Qty	Unit	Rate	Amount
	Ch: 210.00m to 225.00m	1	15.00	3.40	+ 4.45	0.15	8.83			
				2						
	Ch: 225.00m to 240.00m	1	15.00	4.45	+ 4.50	0.15	10.07			
				2						
	Ch: 240.00m to 244.50m	1	4.50	4.50	+ 4.45	0.15	3.02			
				2						
	Mariyamma Block									
	Main Rd									
	Ch: 0.00m to 15.00m	1	15.00	4.70	+ 4.60	0.15	10.46			
				2						
	Ch: 15.00m to 30.00m	1	15.00	4.60	+ 5.00	0.15	10.80			
				2						
	Ch: 30.00m to 45.00m	1	15.00	5.00	+ 7.40	0.15	13.95			
				2						
	Ch: 45.00m to 60.00m	1	15.00	7.40	+ 4.80	0.15	13.73			
				2						
	Ch: 60.00m to 75.00m	1	15.00	4.80	+ 5.20	0.15	11.25			
				2						
	Ch: 75.00m to 90.00m	1	15.00	5.20	+ 4.70	0.15	11.14			
				2						
	Ch: 90.00m to 105.00m	1	15.00	4.70	+ 4.70	0.15	10.58			
				2						
	Ch: 105.00m to 120.00m	1	15.00	4.70	+ 4.45	0.15	10.29			
				2						
	Ch: 120.00m to 135.00m	1	15.00	4.45	+ 5.45	0.15	11.14			
				2						
	Ch: 135.00m to 150.00m	1	15.00	5.45	+ 5.60	0.15	12.43			
				2						
	Ch: 150.00m to 153.50m	1	3.50	4.45	+ 5.65	0.15	2.65			
				2						
	Continued									
	Ch: 153.50m to 168.50m	1	15.00	4.90	+ 5.70	0.15	11.93			
				2						
	Ch: 168.50m to 171.70m	1	3.20	5.70	+ 5.80	0.15	2.76			
				2						
	Kuvempu Nagara 2nd Stage									
	M R Seetham Rao Rd 2nd Cross Rd									
	Ch: 0.00m to 15.00m	1	15.00	5.30	+ 5.25	0.15	11.87			
				2						
	Ch: 15.00m to 30.00m	1	15.00	5.25	+ 5.70	0.15	12.32			
				2						
	Ch: 30.00m to 45.00m	1	15.00	5.70	+ 5.50	0.15	12.60			
				2						
	Ch: 45.00m to 60.00m	1	15.00	7.70	+ 5.00	0.15	14.29			
				2						




 Contractor



 Consultant



 Asst. Engineer



 Asst. Exec. Engineer

Kuvempu Nagara 2nd Stage
 M R Seetham Rao Rd 2nd Cross Rd
 20.00.00, 20.00.00-97

Item No	Discription of Item	No	Length	Breadth			Depth	Qty	Unit	Rate	Amount
	Ch: 60.00m to 74.00m	1	14.00	5.00	+	5.15	0.15	10.66			
				2							
	Narayanappa Layout										
	Aniketan House Rd										
	Ch: 0.00m to 15.00m	1	15.00	6.40	+	4.85	0.15	12.66			
				2							
	Ch: 15.00m to 30.00m	1	15.00	4.85	+	5.10	0.15	11.19			
				2							
	Ch: 30.00m to 45.00m	1	15.00	5.10	+	5.40	0.15	11.81			
				2							
	Ch: 45.00m to 60.00m	1	15.00	5.40	+	5.60	0.15	12.38			
				2							
	Ch: 60.00m to 75.00m	1	15.00	5.60	+	5.40	0.15	12.38			
				2							
	Ch: 75.00m to 90.00m	1	15.00	11.60	+	5.50	0.15	19.24			
				2							
	Ch: 90.00m to 105.00m	1	15.00	5.50	+	4.70	0.15	11.48			
				2							
	Ch: 105.00m to 120.00m	1	15.00	4.70	+	4.80	0.15	10.69			
				2							
	Ch: 120.00m to 123.60m	1	3.60	3.60	+	3.60	0.15	1.94			
				2							
	Mukundha House Rd From end										
	Ch: 0.00m to 15.00m	1	15.00	5.10	+	5.20	0.15	11.59			
				2							
	Ch: 15.00m to 30.00m	1	15.00	5.20	+	5.40	0.15	11.93			
				2							
	Ch: 30.00m to 45.00m	1	15.00	3.15	+	5.40	0.15	9.62			
				2							
	Ch: 45.00m to 55.00m	1	10.00	5.40	+	5.40	0.15	8.10			
				2							
	Continued										
	Ch: 55.00m to 70.00m	1	15.00	4.65	+	4.70	0.15	10.52			
				2							
	Ch: 70.00m to 82.40m	1	12.40	4.70	+	4.35	0.15	8.42			
				2							
	Cross Rd-1										
	Ch: 0.00m to 15.00m	1	15.00	5.70	+	4.30	0.15	11.25			
				2							
	Ch: 15.00m to 27.20m	1	12.20	4.30	+	4.50	0.15	8.05			
				2							
	Cross Rd-2										
	Ch: 0.00m to 15.00m	1	15.00	5.00	+	4.30	0.15	10.46			
				2							

Contractor

Consultant

Asst. Engineer

Asst. Exec. Engineer

Approved and Signed
M.A. Reddy, District-97

Item No	Discription of Item	No	Length	Breadth			Depth	Qty	Unit	Rate	Amount	
	Ch: 15.00m to 30.00m	1	15.00	4.30	+	5.50	0.15	11.03				
				2								
	Ch: 30.00m to 45.00m	1	15.00	5.50	+	5.40	0.15	12.26				
				2								
	Ch: 45.00m to 60.00m	1	15.00	5.40	+	5.25	0.15	11.98	Yh			
				2								
	Ch: 60.00m to 68.20m	1	8.20	5.25	+	4.95	0.15	6.27				
				2								
	Prakruthi Layout											
	2nd Cross Rd											
	Ch: 0.00m to 15.00m	1	15.00	7.50	+	4.55	0.15	13.56				
				2								
	Ch: 15.00m to 30.00m	1	15.00	4.55	+	4.90	0.15	10.63	Yh			
				2								
	Ch: 30.00m to 42.30m	1	12.30	4.90	+	5.85	0.15	9.92				
				2								
	Varadharaju Nagara											
	5th A Cross Rd											
	Ch: 0.00m to 15.00m	1	15.00	5.70	+	5.80	0.15	12.94				
				2								
	Ch: 15.00m to 30.00m	1	15.00	5.80	+	5.40	0.15	12.60				
				2								
	Ch: 30.00m to 45.00m	1	15.00	5.40	+	5.60	0.15	12.38	Yh			
				2								
	Ch: 45.00m to 55.00m	1	10.00	5.60	+	5.90	0.15	8.63				
				2								
	Cross Rd											
	Ch: 0.00m to 15.00m	1	15.00	4.70	+	5.10	0.15	11.03				
				2								
	Ch: 15.00m to 16.70m	1	1.70	5.10	+	5.10	0.15	1.30				
				2								
	Total Qty								1228.56	Cum	7519.93	9238671.10
									Total		82673760.80	
									GST 18%		14881276.94	
									Grand Total		97555037.74	

Contractor

Consultant



Asst.Engineer

203

Asst.Exec.Engineer

Handwritten signature and official stamp of the Asst. Exec. Engineer, dated 20.02.2020, with a reference number 97.

GANESHA LAYOUT



[Faint purple ink bleed-through from the reverse side of the page, appearing as mirrored text.]

23






Page 203

2010103

W0301

BALAJI LAYOUT



Handwritten notes in purple ink:

Handwritten notes in blue ink:

Handwritten signature in blue ink:

Lakkappa Layout
Park For Children

INDEX

ASPHALT ROAD



3rd Cross Rd


Google
AYT Milk Parlour
(Mandya milk parlour)

VARADHARAJA NAGARA



Handwritten text in Kannada script, likely a signature or note related to the map.





INDEX

ASPHALT

[illegible]

20208



DRCDRAIN/10/06-97



2023

10/06/23



Kathi Google

20/05/2024
Approved and Open
for work



W-7.49

ಇದರಲ್ಲಿ ಉಳಿದಿರುವ ಭೂಮಿಗಳನ್ನು
 ಸರ್ಕಾರಕ್ಕೆ ಒಪ್ಪಿಸಲು
 ದಿ.20.08.2020 ರಂದು-97



Handwritten signature in blue ink.